
AMPHIPOD NEWSLETTER

14



Edited by: Wim Vader, Tromso Museum

Produced by: Les Watling, University of Maine-Darling Center

NEW AND REVISED AMPHIPOD TAXA IN AMPHIPOD NEWS LETTER 1-10 AN INDEX TO THE BIBLOIGRAPHY

II. SPECIES AND SUBSPECIES

George I. Crawford & Wim Vader

Introduction

This is the second part of the index which was promised when the first part (on genera and higher taxa) was issued. It is arranged on the same lines with lists, arranged in alphabetical order, of new species; subspecies newly raised to specific rank; and new subspecies. New species described but not named (of the type Gammarus sp. A) have not been included. The bibliography includes, for completeness, all papers which contain descriptions of the new taxa listed, including papers from the bibliography of Part I (1980). Entries consist of the specific (or subspecific) name; the genus or species of which this is a sub-taxon; the author's reference; the AN reference; and the type locality. The scope of the index has been extended to cover new taxa named in the papers abstracted in AN 1-10, whether or not the names of these taxa are recorded in the abstracts. This has involved a great deal of re-examination of the texts and has made the index far more complete - though not, of course, absolutely complete. In particular we expect a number of omissions in the list of infraspecific taxa raised to specific rank. We shall be grateful if such omissions are brought to our notice along with any other errors or omissions detected. We have tried to give the type locality area of each species or subspecies rather than its complete distributional range, but this has not always been possible.

NEW AND REVISED AMPHIPOD TAXA IN AMPHIPOD NEWSLETTER 1-10

AN INDEX TO THE BIBLIOGRAPHY

I. GENERA AND HIGHER TAXA - ADDITIONS AND CORRECTIONS

George I. Crawford and Wim Vader

Introduction

Part I of this index was circulated in 1980 with AN 11. Some omissions. and errors have since been found. These are listed below with a reference to the original page number and, where appropriate, column (L or R).

7L Between entries for ASPROGAMMARUS and AUSATELSON insert:

ASPROGAMMARUS (new subgen. of ASPROGAMMARUS, Gammaridae s.l.)
Bazikalova 1975a (AN 9/43)
apparently Gammarus rhodophthalmus
Lake Baikal

7R after the entry for BIRUBIUS insert:

BOLLEGIDIA (Bogidiellidae) Ruffo 1974 (AN 5/35) B. capensis n. sp. Cape Town, S. Africa

9L in entry for KOZHOVIA insert as type species:

K. mirabilis n. sp.

10L Under PARACALLIOPELLA, line 4 correct spelling:

Leptamphopus, not Lemtamphopus

10R between entries for PARACERCOPS and PARANIPHARGOIDES insert:

PARAMOERELLA (Eusiridae) Ruffo 1974b (AN 5/35) P. interstitialis n. sp. Cape Town, S. Africa.

11L between entries for PSEUDOCERCOPS and PSEUDONESIMOIDES insert:

PSEUDODODECAS (Phthisicidae)
McCain & Gray 1971 (AN 2/29)
P. bowmani n. sp.
South Shetland Islands

11L under PSEUDUNCIOLA correct spelling:

Unciola not Unicola

12L between entries for SCUTOCYAMUS and SPELAEOGAMMARUS insert:

SMARAGDOGAMMARUS (n. subgen. of Asprogammarus, Gammaridae s.l. Bazikalova 1975a (AN 9/43) apparently Gammarus smaragdinis Lake Baikal

14L under ALLORCHESTES delete:

KRAPP SCHICKEL 1974 (AN 6/5)

16L under LEPECHINELLA correct reference to read:

Barnard 1973b (AN 3/22)

- 19 correct BARNARD, J.L., 1976 to 1973b.
- 19 delete entry BARNARD, J.L. & M.M. DRUMMOND 1978 (the abstract of which appears in AN 11/20, 21 not in AN 1-10) and substitute:
 - BARNARD, J.L. & M.M. DRUMMOND, 1976. Classification of 5 genera of Phoxocephalidae (marine Amphipoda). Proc. biol. Soc. Wash. 88, 515-548.
- 24 after entry for RUFFO, S., 1974 insert:
 - SCHIECKE, U., 1977. Zwei neue Vertreter der Cyproideinae (Amphipoda: Amphilochina) aus dem Mittelmeer:

 Pseudopeltocoxa gibbosa n.g., n.sp. und Peltocoxa mediterranea n.sp. ______Boll. Mus. civ. Stor. nat.

 Verona 4, 525-542
- 25 for VASSILENKO substitute VASILENKO.
- 25 in last line delete 223-236, and substitute 237-250
- 26 for VASSILENKO substitute VASILENKO.

(a) New species

ABDITUS (<u>Stygobromus</u>) Holsinger 1978 (AN 10/42) Virginia, USA

ABERRANS (<u>Niphargus</u>) Sket 1972 (AN 3/37) Slovenia, N. Yugoslavia

ABSCISUS (Gammarus) Karaman 1973g (AN 4/25) Kirseljir, Turkey

ACALCEOLATUS (Gammarus)
Pinkster 1971 (AN 2/31)
Meknes Province, Morocco

ACANTHOPODA (Mayerella)
Benedict 1977 (AN 10/38)
Newport Harbor, California

ACCOLAE (<u>Gammarus</u>) Karaman 1973g (AN 4/25) Kirgoz, near Antalya, Turkey

ACKERLYI (<u>Stygobromus</u>) Holsinger 1978 (AN 10/42) Georgia, USA

ACRANIA (<u>Dikwa</u>) Griffiths 1974b (AN 5/27) Still Bay, Cape Province

ACRIS (Ampelisca) Griffiths 1974b (AN 5/27) Mossel Bay, Cape Province

ACUMINATA (<u>Oradarea</u>) Thurston 1974a (AN 4/29) McMurdo Sound, Antarctica

ACUTIBASALIS (<u>Acontiostoma</u>) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island

ACUTICAUDA (<u>Schraderia</u>) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island

ACUTICEPHALUS (<u>Laetmatophilus</u>) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

ACUTICOXA (<u>Perioculodes</u>) Ledoyer 1973c (AN 3/26) Nosy Bé, Madagascar ACUTILOBA (<u>Leucothoe</u>) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

ADBIPTUS (<u>Niphargus</u>) Karaman 1973c (AN 3/36, 4/25) Balkans

ADELIENSIS (<u>Kerguelenia</u>) Bellan-Santini 1972a (AN 2/18) Adelie Land, Antarctica

ADIPATUS (<u>Echinogammarus</u>) Karaman & <u>Tibaldi</u> 1973 (AN 5/29) Sicily, Italy

ADRIATICUS (<u>Neogammarus</u>) Karaman 1973b (AN 3/35) Adriatic coast

ADVENA (<u>Caprella</u>) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas

AENIGMATICA (Aeginina) Laubitz 1972 (AN 3/36) Henry Land, E. Greenland

AESTUARIORUM (Anisogammarus (Eogammarus)) Tzvetkova 1972 (AN 2/36, 3/30,31) Sea of Okhotsk

AESTUARIUS (Parapleustes)
Watling and Maurer 1973 (AN 3/38)
Delaware, Eastern USA
(estuarine)

AFER (Echinogammarus) Stock 1974b (AN 3/38) Hot spring between Gabes and Sfax, Tunisia

ALCYONE (Leucothoe) Imbach 1967 (AN 3/38) Bay of Nhatrang, Vietnam

ALGOR (<u>Typhlogammarus</u>) Karaman 1973 (AN 4/25) Near Bileca, Hercegovina, Yugoslavia

ALKOOMIE (<u>Paradexamine</u>) Barnard 1972a (AN 2/17) Pearson Islands, S. Australia

ALLA (<u>Chucullba</u>) Barnard 1974 (AN 4/30) Albany, W. Australia ALLINGA (<u>Stenothoe</u>) Barnard 1974 (AN 4/30) Albany, W. Australia

ALOE (<u>Seba</u>) Karaman 1971c (AN 2/26) Adriatic Sea, off Montenegro, 500m.

ALTAGAHIZI (Niphargus) Alouf 1973 (AN 3/32) Lebanon

ALUTENSIS (Niphargus)
Dancau 1971 (AN 2/20)
Olt Valley, Rumania

AMBULATOR (Niphargus) Karaman 1975f (AN 9/46) Como region, Italy

AMENTATUS (<u>Carinurus</u>) Karaman 1977a (AN 10/52) Lake Baikal

AMERICANUM (Synchelidium)
Bousfield 1973 (AN 3/18-20)
Atlantic coast of USA, central
Maine to Georgia

ANA (<u>Rotomelita</u>) Barnard 1977(AN 10/37) Hawaiian Islands (Maui)

ANGULIPES (Syrrhoe) Ledoyer 1977 (AN 10/43,44) Off Southern France

ANGUSTICOXA (<u>Leucothopsis</u>) Ledoyer 1972 (AN 2/28) Tuléar, Madagascar

ANGUSTIPES (Ensayara) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

ANOMALUS (Eurystheus) Rabindranath 1971d (AN 2/31) Gulf of Mannar, India

ANOPHTHALMA (Ampelisca)
Bellan-Santini & Kaim-Malka
1977 (AN 10/38)
Banyuls, France

ANOQUESANA (Orchestia) Bousfield 1971 (AN 2/18,19) Nuka Hwa Island, Marquesas Islands, alt. 4050 ft. ANTENNATA (Ampelisca)
Bellan-Santini & Kaim-Malka
1977 (AN 10/38)
Marseille, S. France

ANTENNATUM (<u>Anatatelson</u>) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island

ANVERSENSIS (<u>Ampelisca</u>) Karaman 1975e (AN 3/39) Anvers Island, Antarctica

AORANGI (Ampithoe) Barnard 1972b (AN 3/39) Wellington, New Zealand

APOPO (Microdeutopus) Barnard 1972b (AN 3/39) Leigh, New Zealand

AQUAFUSCUM (Corophium)
Heard & Sikora 1972 (AN 3/25)
Georgia, USA (low salinity brackish)

ARCTICA (<u>Protellina</u>) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas

ARDUUS (Gammarus) Karaman 1975A (AN 7/25) Turkey (Tekirdag Prov.)

ARGANOI (<u>Bogidiella</u>) Ruffo & Vigna-Taglianti 1974 (AN 7/28) Veracruz, Mexico

ARIZONENSIS (<u>Stygobromus</u>) Holsinger 1974a (AN 4/32) Cochise Co., Arizona USA

ARMATUS (Concholestes)
Griffiths 1974b (An 5/27)
Still Bay, Cape Province

ARMATUS (<u>Pseudocercops</u>) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas.

ARNAUDI (<u>Orchomene</u>) Bellan-Santini 1972a (AN 2/18) Adelie Land, Antarctica

ASPER (<u>Niphargus</u>) Karaman 1972a (AN 2/26) Titograd, Yugoslavia ASSIMILIS (Leucothoe)
Barnard 1974 (AN 4/30)
Western Port, Victoria, Australia

ASTERICOLA (<u>Caprella</u>)
Jankowskii & Vasilenko 1972 (AN 3/9)
S. Sakhalin, from starfish

AUCA (Lepechinella)
Barnard 1973 (AN 3/22)
off Chile, 480-510fms

AURICULATA (Ampithoe (Pleonexes))
Rabindranath 1972a (AN 2/32)
Gulf of Mannar, India

AWA (Melita)
Barnard 1972b (AN 3/39)
Hutt river, New Zealand (brackish)

BACESCUI (<u>Pseudoamphithoides</u>) Ortiz 1976a (AN 10/52) Hicacos Peninsula, Matanzas prov., Cuba

BAHIENSIS (<u>Spelaeogammarus</u>) Silva Brum 1975 (AN 7/33) Bahia Stae, Brazil

BALEARICA (<u>Bogidiella</u>) Dancau 1973b (AN 4/21) Majorca

BARNARDI (<u>Dulichiopsis</u>) Laubitz 1977 (AN 9/57) Alaska 52°14'N, 74°13'E, 882m

BARNARDI (<u>Gammaropsis</u> (<u>Podoceropsis</u>)) Kudrjashov & Tzvetkova 1975 (AN 7/26) South Sakhalin

BARNARDI (<u>Gnathiphimedia</u>) Thurston 1974b (AN 6/23) South Georgia

BARNARDI (<u>Paramelita</u>) Thurston 1973 (AN 4/29) Cape Town, S. Africa

BARNARDI (<u>Parapleustes</u>) Ledoyer 1972 (AN 2/28) Tuléar, Madagascar

BARNARDI (<u>Pontogeneia</u>) Rabindranath 1972c (AN 2/32) India BARNARDI (Schraderia) Thurston 1974a (An 4/29) Signy Is., S. Orkney Islands

BAROODYI ($\underline{\text{Stygobromus}}$) Holsinger $\overline{1978}$ (AN $\overline{10}/42$) Virginia, USA

BARRYI (Stygobromus)
Holsinger 1978 (AN 10/42)
Tennessee, U.S.A.

BATHYALIS (Caprella) Vasilenko 1972a (AN 3/38) Sea of Okhotsk & N.W.Pacific

BATHYPHILUS (<u>Asprogamarus</u> (<u>A</u>.)) Bazikalova 1975a (AN 9/43) Lake Baikal

BAZIKALOVAE (<u>Carinurus</u>) Karaman 1977a (AN 10/52) Lake Baikal

BELLABELLA (Allorchestes) Barnard 1974 (AN 4/30) Kyska Harbour, Alaska, USA

BENNETTI (Gammaropsis) Thurston 1974b (AN 6/23) South Shetland Islands

BERISFORDI (Ingolfiella) Ruffo 1974b (AN 5/35) Cape Town, S. Africa

BERRINGAR (<u>Cottesloe</u>) Barnard 1974 (AN 4/30) Cottesloe, near Perth, W. Australia

BERYTENSIS (<u>Echinogammarus</u>) Alouf 1976 (AN 9/51) Near Beirut, Lebanon

BICARINATUM (<u>Nodotergum</u>) Bellan-Santini 1972a (AN 2/18) Adelie Land, Antarctica

BICUSPIDATUS (Microprotopus) Rabindranath 1971d (AN 2/31) Gulf of Mannar, India

BIDENTATA (<u>Lemboides</u>) Ledoyer 1972 (AN 2/28) Tuléar, Madagascar BIFIDUS (Microdeutopus) Myers 1977c (AN 10/47) Catania, Sicily

BIFRONS (Carinurus) Karaman 1977a (AN 10/52) Lake Baikal

BIGGERSI (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, U.S.A.

BIRSTEINI (Acanthoscina) Vinogradov 1976 (AN 8/32) 7°36'N, 162°01'E (0-3500m)

BIRSTEINI (<u>Crybelocephalus</u>) Thurston 1976 (AN 8/26) off Canary Islands, 910m

BIRSTEINI (Gammarus)
(nom. nov. for Rivulogammarus argaeus brachyurus
Birstein, non G. argaeus brachyurus Vavra
Karaman & Pinkster 1977a (omitted from AN,
see bibliography)
Kazakhstan Republic, USSR

BOLO (Echinogammarus) Karaman & Tibaldi 1973 (AN 5/29) Sardinia, Italy (freshwater)

BOLTOVSKOYI (Niphargoides)
Derzhavin & Pjatakova 1968 (AN 7/9)
Caspian Sea

BOOLPOOLI (Leucothoe)
Barnard 1974 (AN 4/30)
Western Port, Victoria, Australia

BOREALIS (Lembos) Myers 1976b (AN 9/60) Jan Mayen Island, 100-125m

BOREALIS (<u>Stygobromus</u>) Holsinger 1978 (AN 10/42) Vermont, USA

BOUSFIELDI (Metaniphargus) Stock 1977a (AN 10/49) Puerto Rico

BOWMANI (<u>Hyperia</u>) Vinogradov 1976 (AN 8/32) 0°01'N 154°48'W (0-800m.) BOWMANI (<u>Pseudododecas</u>) McCain & Gray 1971 (AN 2/29) South Shetland Is., 769m.

BRACHYCEPHALA (Byblis) Mills 1971 (AN 2/30) Western North Atlantic 48°7'N, 70°40.8'W

BRACHYURA (<u>Gmelina</u>) Derzhavin & <u>Pjatak</u>ova 1962 (AN 7/9) Caspian Sea

BRASSICACEPHALA (<u>Biancolina</u>) Lowrey 1974 (AN 5/30) Sargasso Sea

BREVICORNIS (<u>Ronconcoides</u>) Ledoyer 1973b (AN 3/26) Tuléar, Madagascar

BREVICUSPIS (<u>Eohaustorius</u>) Bosworth 1973 (AN 4/20) Oregon, USA

BREVIDACTYLUS (Megamphopus) Myers 1976a (AN 8/31) Napoli, Italy

BREVIDACTYLUS (Metaphoxus) Ledoyer 1973b (AN-3/26) Nosy Bé, Madagascar

BREVIDENS (Primno)
Bowman 1978 (AN 10/51)
off San Diego, Calif., USA

BREVIRAMUS (Gammarus) (Sammarus) (Brevilland (Gammarus) (Gammarus)

BREVIROSTRIS (<u>Niphargus</u>) Sket 1971 (AN 2/35) Lika R., Yugoslavia

BREVIROSTRIS (Waitangi) Fincham 1977 (AN 9/56) North Island, New Zealand

BREVIUROPUS (Patuki) Cooper & Fincham 1974 (AN 5/26 & 7/21) Stewart Island, New Zealand

BRUNNEOMACULATUS (Lembos)
Myers 1977a (AN 10/47)
Sebastian Inlet, Brevard Co., Florida
USA

Andres 1975b (AN 7/30) Lanzarote, Canary Is. (in sea cave.) BJLYTSCHEVAE (Synchelidium) Kudrjashov & Tzvetkova 1975 (AN 7/26) South Sakhalin CABON (<u>Wallametopa</u>)
Barnard 1974 (AN 4/30)
Western Port, Victoria, Australia CACHI (Lepechinella) Barnard 1973 (AN 3/22) Drake Passage, 4008 m. CAECA (Rhachotropis) Ledoyer 1977 (AN 10/43,44) off southern France CALISTO (Byblis) Imbach 1967 (AN 2/11,12) Bay of Nhatrang, Vietnam CALYPSONIS (Ampelisca) Bellan-Santini & Kaim-Malka 1977 (AN 10/38) Cap Dauro, Aegean Sea CAMPTONYX (Ischyrocerus) Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands CANNUBINENSIS (Echinogammarus)
.Alouf 1975 (AN 7/20) Cannoubine Valley, N. Lebanon CANTOR (Gammarus) To the transfer of the transfer of the CELERICULA (Melita), we want to see you have been transfer or the contract of the con Karaman 1973g (AN 4/25) Thasos, Greece CANUI (Niphargus) Karaman 1976d (AN 9/56) Verona, Italy CAPENSIS (Bollegidia) Ruffo 1974b (AN 5/35) Cape Town, S. Africa CAPERESCA (Paralicella) Shulenberger & Barnard 1976 (AN 9/49)
Cooper 1974 (AN 5/26)
28°N, 155°W, 5700m.
Wellington, New Zealand CARAUSUI (Stenogammarus) Cherson to the professional CHELIFERUS (Pseudelasmopus) corrected spelling (fide Stock 1974a)

Ledoyer 1978 (AN 10/44)

Mauritius (reef cavities)

BUCHI (Nicippe)

CARDA (Urothoe) Imbach 1967 (AN 2/11,12) Bay of Nhatrang, Vietnam CARINATUS (Pleustoides) Gurjanova 1972 (AN 2/24, 3/34,35) Sea of Okhotsk CAROLINENSIS (Stygobromus) Holsinger 1978 (AN 10/42) N. Carolina, USA, What was a supersult of the supersult o CARÓLINIANÁ (Maera) Bynum & Fox 1977 (AN 9/53) North Carolina, USA CARPINEI (Ensayara) Bellan-Santini 1974 (AN 4/19) Mediterranean, off Corsica, 1900m. CARTETA (Megamoera) Barnard 1972a (AN 2/17) Albany, W. Australia CASSIGERUS (Odius) Gurjanova 1972 (AN 2/24, 3/34, 35) Sea of Japan CATACUMBAE (Echinogammarus) Karaman & Ruffo 1977 (AN 10/34) Sicily (Italy), Siracusa Prov. (in a spring) CAVIMANA (Ampithoe) Sivaprakasam 1971a (AN 2/34) Madras Coast, India Croker 1971b (AN 2/19) Eniwetok Atoll, Micronesia CENTROTA (Caprella) Vasilenko 1972a (AN 3/38) Sea of Okhotsk & N.W. Pacific CEPHALODENS (Heterophoxus) Griffiths 1975 (AN 7/23) Western Cape Province

CHIKOA (Parajassa) w w washe his waste a sum washe or the order of the grant of the second of the se Griffiths 1974b (AN 5/27) 34° 33'S, 24°01'E-... 34°36'S, 17° 00'E, 2740m. CHINENSIS (Ampelisca) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam CHURINGA (Paradexamine) Barnard 1972a (AN 2/17)

Cockburn Sound W Australia Cockburn Sound, W. Australia and Market Commenced and Australia CIMBALUKI (Dogielinotus) Kudrjaschov 1972 (AN 2/27) Sea of Okhotsk CLAVIGERA (Caprella) Vasilenko 1972a (AN 3/38) Sea of Okhotsk & N.W. Pacific CLAVIGERA (Heterocaprella) Arimoto 1976 (AN 8/18) Korean Straits COLEI (Mexiweckelia) Holsinger & Minckley 1971 (AN 2/25) Northern Mexico (subterranean) COLORADENSIS (Stygobromus) Ward 1977 (AN 10/50) Colorado, USA (subterraneam) COLUMBIAE (Syrrhoites) Barnard 1972c (AN 3/39) off Oregon, USA, the second second second second second 44°40'N; 125°6.7'W; 800m. And the manufacture COMANITA (Latacunga) Barnard 19.72c (AN 3/39) A policies - Same management off Caribbean Columbia, 11°30'N, 75° 50'W, 2875-2944m. COMECRUDUS (Anonyx) Barnard 1971 (AN 2/15, 17) off Oregon, USA 44°50'N, 124° 05'W, 80-120m. COMPACTA (Iphimedia) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

CONCORDIA (Epimeria) Griffiths 1977b (AN 10/41) CONTIGUUS (Chaetogammarus) Pjatakova 1962a (AN 7/8) Caspian Sea Western Port, Victoria, Australia COPILLIUS (Tabatzius) McKinley & Barnard 1977 (AN 10/45) engandi anningsana palan esa Yucatan Peninsula, Mexiconni basan esa ing masa COQUILLA (Pleusymtes) Barnard 1971 (AN 2/15,17) off Oregon, USA 44° 38.5'N 124° 35.7'W, 200m. CORA (Epimeria) Barnard 1971 (AN 2/15, 17) off Oregon, USA, 44° 21'N, 125° 14'W, 2086m. CORNUTILABRIS (Pseudonésimoides) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island COSTELLANA (Valettiella) Griffiths 1977 (AN 10/41) Off Natal, 550m. COXALIS (Urothoe) Griffiths 1974a (AN 4/23) Natal, S. Africa representation some of the second CRASSA (Hyperia) * There teles an american and which Bowman 1973 (AN 3/23) Gulf of Guinea CRENATIPALMA (Leucothoe) Ledoyer 1972 (AN 2/28) Tuléar, Madagascar CRENULATUS (Gammarus) Karaman & Pinkster 1977a (omitted from AN, see bibliography) Karditsa prov., Greece COMPARATIVUS (Cerapus)

Kudrjashov 1973 (AN 6/25)

Kurile Islands

Ross Sea, Antarctica

CONCINNA (Paramphithoe) Gurjanova 1972 (AN 2/24, 3/34, 35) Sea of Okhotska Mariana and Antonian and Antonia

10

DEMERSALIS (Idunella) વાજુ લાધકારી, તો જાણ ભાગ લાક દુશ પાકના દુશ કે તે કે ફર્મ અલગાં, આ લોક પણ વાજી કે દુશિયા હોય છે. આ કોઈ કો મોટા આ CRYPTICUM (Lepidepecreum) Ruffo & Schiecke 1977 (AN 10/48) Sivaprakasam 1972 (AN 2/34) Napoli, Italy Tetransaction of the week of the week off Cochin, Kerala, India DENTATA (Leucothoe) CU (Syrrhoites) Barnard 1972c (AN 3/39) Ledoyer 1973b (AN 3/26) off Pacific Columbia Nosy Bé & Tuléar, Madagascar 05°00!N. 79°04!W, 3023-3251m. DENTATUS (Cercops) Vasilenko 1972b (AN 3/38) CUBANICA (Weckelia (Neoweckelia)) North Pacific Dancau 1973a (AN 4/21) Guba group same to be of whomiting a graphy below its DENTIFERA (Eriopisella) CULVERI (Stygobromus) Ledoyer 1978 (AN 10/44) Holsinger 1978 (AN 10/42) Mauritius (reef cavities) West Virginia, USA DENTISCHIUM (Lembos) Myers 1977b (AN 10/47)
Conch Key, Monroe Co., Florida, USA CUMBERLANDUS (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, USA DENTITELSON (Ampelisca) CURA (Lepechinella) Ledoyer 1973b (AN 3/26) Barnard 1973 (AN 3/22) Nosy Be, Madagascar Off Panama (Pacific) 2234m. DEPRESSA (Amphithopsis) Schiecke 1976b (AN 9/60) CURVIPALMA (?Aorcho) Bay of Napleshable and the property and the second Mauritius (reef cavities) DERTOO (Raumahara) Barnard 1972a (AN 2/17) CUSPIS (Urothoe) Cape Naturaliste, W. Australia Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam DERZHAVINI (Niphargoides) DABBER (Unyapheonoides) Pjatakova 1962b (AN 7/9) Barnard 1972a (AN 2/17) Assessment a sense some sense of Caspian Seaton settlement and a large sense of the control of the con Albany, W. Australia Some and the control of the second of DESMONDI: (Gitanopsis) statement to the statement of the Barnard 1972b (AN 3/39) DALMATINA (Ampelisca) Karaman 1975b (AN 7/25) (AN 27/25) Port Chalmers, New Zealand Challes and Cha Boka Kotorska, Adriatic coast of Montenegro, Yugoslavia DICKSONI (Stygobromus) Holsinger 1978 (AN 10/42) DANDALOO (Paradexamine) Alabama, USA Barnard 1972a (AN 2/17) West Island, S. Australia DILATATA (Aorchoides) Ledoyer 1972 (AN 2/28) DANICUS (Palaeogammarus) ** Tuléar, Madagascar Just 1974 (AN 5/28) Denmark (?Jutland) in amber DILKERA (Parawaldeckia) Barnard 1972a (AN 2/17) DEELEMANAE (Niphargus) Karaman 1973d (AN 3/35, 4/25) Cape Naturaliste, W. Australia to a contrata that are common after entry transport typically a common tenth of tenth Pirot, Eastern Serbia, Yugoslavia DISCOVERYI (Halicoides) compression of the section of the se ლოგა DELLAVALLE [c] (Haploops) ურება ერდებაც რეც ალება დება რეც offic Canary i Islands კან 780 თაველ დება და დაგადა დება ართ Mediterranean

OISPLOSUS (Pleustostenus)

Gurjanova 1972 (AN 2724, 3/34, 35)

Sea of Okhotsk

DISSIMULANTIA (Socarnes) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam

DOOLIBA (Ceradocus) Barnard 1972a (AN 2/17) Port Phillip, Victoria, Australia

DUBIA (Schraderia) des desenventes de la companya d Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands

DUPLUS (Niphargus) Karaman 1976d (AN 9/56) Bergamo region, Italy

DYAULANUS (Brevitalitrus) Bousfield 1971 (AN 2/18, 19) Dyaul, Bismarck Archipelago (primary forest)

DZJUBANI (Stenogammarus) Mordukhai-Boltovskoi & Ljakchov 1972 (AN 2/30, 7/6)Reservoirs in Volga basin

EBURNEA (Parhyale) Krapp-Schickel 1974 (AN 6/5) Ancona, Italy (Adriatic)

ECHINOICUS (Parapleustes) Tzvetkova 1975 (AN 6/23) Bering Island, from sea urching and a sea of the sea of

ECHINOSETOSUS (Echinogammarus) Pinkster 1973 (AN 3/28) Zaragoza Prov., N.E. Spain

ECHO (Parelasmopus) Barnard 1972a (AN 2/17) Bunbury, W. Australia

ECHUCA (Paradexamine) Barnard 1972a (AN 2/17) Pearson Islands, S. Australia

EDUARDI (Stenothoe)

Krapp-Schickel, 1976 (AN 6/9, 8/30)

Luderitz Bay, S.W.Africa Napoli, Italy

EFFULTUS (Gammarus) and any a proof grows of the region Karaman 1975a (AN 7/25) Turkey (Ankara Prov.)

ELACHISTA (Stenothoe) Krapp-Schickel, 1976 (AN 6/9, 8/30) a habita and a law Livorno, Italy.

> ELANORA (Tethygeneia) Barnard 1972a (AN 2/17) Albany, W. Australia

DRACONI (Cercops) Vasilenko 1972b (AN 3/38)
North Pacific

LLIZAE (Urothoe)

Cooper & Fincham 1974 (AN 5/26, 7/21)

North Pacific

ELLIOTTI (Stygobromus) Holsinger 1974a (AN 4/32) Skamania Co., Washington, USA

ELONGATA (Thorina) Laubitz & Mills 1972 (AN 2/28) North Arlantic, 38°46'N, 70°00'W 2886m.

ELTANINAE (Dodecas) McCain & Gray 1971 (AN 2/29) 54°49'S, 129°48'W, 250-600m.

EMARGINATA (Maera) Criffiths 1975 (AN 7/23), a procession of the control of the contr Western Cape Province

EMARGINATA (Saliweckelia) Stock 1977a (AN 10/49) Curacao, Dutch West Indies

ENAMALLA (Delkarlye) Barnard 1972a (AN 2/17) was a substitution of the substitution of West Island, S. Australia

ENDOTA (Guernea) Barnard, 1972a. (AN, 2/17) (1984) (1984) (1984) (1984) (1984) Albany, W. Australia

ENNA (Quasimodia) Barnard 1972a (AN 2/17) Pearson Islands, S. Australia

EPIMERA (Eriopisella) Griffiths 1974c (AN 4/23) off Luderitz Bay, S.W. Africa

EPISTOMATA (Eriopisa) Griffiths 1974c (AN 4/23)

Napoli, Italy

ERIDUNDA (Ochlesis) Barnard 1972a (AN 2/17) West Island, S. Australia

ESTESI (Stygobromus) Holsinger 1978(AN 10/42) Virginia, USA ESTUARIUS (Eohaustorius) Bosworth $19\overline{73}$ (AN 4/20) Oregon, USA EUPRAXIELLA (Lepechinella) Barnard 1973 (AN 3/22) EURYCRADUS (Liljeborgia) Thurston 1974b (AN 6/23) South Georgia the second of th EURYDACTYLA (Caprella) Vasilenko 197<mark>4 (AN 5/</mark>36) Russian & neighbouring seas EXCAVATA (Mesoproboloides) Fenwick 1977 (AN 10/40) Kaikoura, New Zealand EXCAVATUS (Lembos) Myers 1975b (AN 8/25) Watamu Bay, Kenya EXCAVATUS (Paranamixis) Ledoyer 1978 (AN 10/44) Maruitius (reef cavities) EXCELSA (Caprella) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas and the war whole Imbach 1967 (AN 2/11, 12) FECUNDUS (Stygobromus) Holsinger 1978 (AN 10/42) Tennessee, USA FEMINATUS (Echinogammarus) Pinkster 1973 (AN 3/28) Basses Pyrenées, S. France FERGUSONI (Stygobromus) Holsinger 1978 (AN 10/24) Wirginia, USA o en Nelle Matricker a met om se grekerja, stretak soci belægter mod fredessekter kelse av trendfildssekter o FIHLA (Izinkala) Wir Griffiths 1977 (AN 10/41) we seem in Sugary transpose ga off | Natal, .550m. Park of the FILARIS (Sternophysinx) Holsinger & Straskraba 1973 (AN 4/23) Atlantic coast of USA, "Cape Coder common with a con-

Krugersdorp, Transvaal, S. Africa

FINLEYI (Stygobromus) - -- Holsinger 1978 (AN 10/42) Tennessee, USA FISSICAUDATA (Podoprionella) ... Ledoyer 1977 (AN 10/43, 44) off southern France FONTINALIS (Ingolfiella (Gevgeliella)) Stock 1977b (AN 10/49) Banaire, Dutch West Indies, FRANZI (Stygobromus) Holsinger 1978 (AN 10/42) Maryland, USA FRATER (Gammarus) Karaman & Pinkster 1977a (omitted from AN, see bibliography) S.W. Bulgaria FRAUDATRIX (Paradexamine) Tzvetkova $19\overline{76}$ (AN 8/23) Possjet Bay, S. of Vladivostok, Sea of Japan FUCHSI (Gnathiphimedia) Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands GELANE (Guernea) Barnard 1972a (AN 2/17) Merimbula, New South Wales, Australia the appropriate to the property fractions, and sufficient forward from proceedings, when they GELASINA (Urotho<u>e</u>) Imbach 1967 (AN 2/11, 12) Bay of Mhatrang, Vietnam Bellan-Santini 1972a (AN 2/18) Adelie Land, Antarctica GEORGIANA (Stenothoe) Bynum & Fox 1977 (AN 9/53) North Carolina, USA William Comme GERULICORNIS (Orchomene) Shulenberger & Barnard 1976 (AN 9/49) 28°N, 155°W, 5700m. GIBBOSA (Pseudopeltocoxa) and a state of the second of the Schiecke 1977 (AN 10/48)

GIGANTEA (Amphiporeia) who were how when a few aire Bousfield 1973 (AN 3/18)

Bay to New Jersey

GLABRA (Rhachotropis) and Catalogue as a contract of the contraction of the contract of the co Ledoyer 1977 (AN 10/43, 44) off southern France GOEDMAKERSAE (Gammarus) Karaman & Pinkster 1977b (AN 10/43) Kayseri prov., Turkey GOMEZI (Tropichelura) Ortiz 1976d (AN 10/53) Cuba section of the comment of the section of GOOMAI (Paradexamine) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia GOOWERA (Leucothoe) Barnard 1974 (AN 4/30) Geraldton, W. Australia GORGONIA (Caprella) Lake Baikal Laubitz & Lewbel 1974 (AN 5/29) Southern California GOWERENSIS (Parorchestia) Bousfield 1976 (AN 8/19) Lord Howe Island South Sakhalin GRACILIS (Eriopisa) Ruffo & Schiecke 1976 (AN 8/31) Malta' GRADYI (Stygobromus) Holsinger 1974a (AN 4/32) Tuolumna Co., Calif., USA and attempt and GRAHAMI (Stygobromus) Holsinger 1974a (AN 4/32) Calayeras Co., Calif., USA Will and Control of the GRANDIMANA (Gammaropsis) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities) GRANDIMANA (Parametopa) Griffiths 1974b (AN 5/27) Still Bay, Cape Province GRANDIMANUS (Macropereiopus) Bazikalova 1975b (AN 9/43) Lake Baikal HELLERI (Ampithoe) GRANDIS (Stygobromus) (new name for A. bicuspis Holsinger 1978 (AN 10/42)

Georgia, USA

GRISEUS (Lembos) Sivaprakasam 1971b (AN 2/34) at a second field and a second secon NAME OF STREET GROSSIMANA (Anamixis) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities) GROSSIMANA (Iphimedia) Ledoyer 1972 (AN 2/28) Tulear; Madagascar of the construct appears to the construction of GUAYACURA (Bruzelius) Barnard 1972c (AN 3/39) off Peru, 16°12'S. 74°71'W egyege in Color frequency of the Color of the Color of the Color GULEKANI (Asprogammarus-1924) (1944) (Smaragdogammarus)) Bazikalova 1975a (AN 9/43) GURJANOVAE (Ischyrocerus) Kudrjashov 1973 (AN 6/25) Kurile Islands GURJANOVAE (Synchelidium) a come consequence and second on Kudrjashov & Tzvetkova 1975 (AN 7/26) HALICHONDRIAE (Colomastix) Bousfield 1973 (AN 3/18) Atlantic coast of USA, southern New England to Georgia and the artist the second of a trick and the second of the property of the property of HALONA (Halicella) Oregon USA, 44°39'N, 124°36'W, 200m. HARAI (Stygobromus) Holsinger 1974a (AN 4/32) Tuolumna Co., Calif., USA HARTMANNORUM (Paracorophium) Andres 1975a (AN 6/25) Concepcion, Chile and the effective of the continue of the second HEDCPETHI (Pseudoprotomima) McCain & Gray 1971 (AN 2/29) 41°41's, 59°19'W, 71-403m.

Karaman 1975c (AN 7/25) - Waraman 1975c (AN 7/25)

न्द्रीतृत्र हु कुल्ला करने कर्ने कर्ने कर विकास कार्यात समाम किया समाम हिन्दी की प्राप्त कार्यात के किया कार्यात है किया कार्य करने समाम किया कार्यात समाम करने समाम करने समाम करने करने हैं करने कार्यात करने

Hvar, Adriatic

HINATORE (Ampithoe) - The American American State of the Theriensis (Bathyceradocus) - The American State of the There is the American State of the There is the Barnard 1972b. (AN. 3/39) was a superior and Andres 1977 (AN 9/55) and a superior Kaikoura, New Zealand Deep sea off Spain ILUKA (Nihotunga) and har street hope to his HIRSUTA (Seba) Ledoyer 1978 (AN 10/44) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia Mauritius (reef cavities) Holsinger 1978 (AN 10/42)
Virginia, USA
Rabindranath 1972a (AN 2/32)
Gulf of Mannar, India IMPARIDENTATA (?Pariphimediella) HOLMESI (Proboloides) Bousfield 1973 (AN 3/18) Bellan-Santini 1972a (AN 2/18) Atlantic coast of USA, Vineyard Adelie Land, Antarctica Sound to Buzzards Bay District the second of the sec IMPROVISA (Yulamara) Griffiths 1976 (AN 8/29) HOLSINGERI (Bogidiella) Ruffo & Vigna-Taglianti 1974 (AN 7/28) Mossel Bay, S. Africa Alta Verapaz, Guatemala INBERBUS (Gammarus) Karaman & Pinkster 1977a (omitted from HOLSINGERI (Saliweckelia) Stock 1977a (AN 10/49) AN, see bibliography) Bonaire, Dutch West Indies Lake Issyk-Kul, Kazakhstan Republic, USSR INCERTA (Gnathiphimedia) HOLSINGERI (Stygobromus) Ward 1977 (AN 10/50) Bellan-Santini 1972a (AN 2/18) Adelie Land, Antarctica Colorado, USA (subterranean) HONMUNGENSIS (Ampelisca) INCLINATUS (Niphargus) Karaman 1973c (AN 4/25) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam Montenegro HOUTETE (Paradexamine) INCURVARIA (Amphyllodomus) Barnard 1972b (AN 3/39)
Huaroa Pt., New Zealand
Barbados HUACO (Lepechinella) INDENTATA (Paradexamine) Barnard 1973 (AN 3/22) Ledoyer 1978 (AN 10/44) 78°02'N, 09°12'W (apparently?) Mauritīus (reef cavities) HUREAUI (Orchomene) INDICA (Arugella) De Broyer 1973 (AN 3/33) Rabindranath 1971a (AN 2/31) Adelie Land, Antarctica Gulf of Mannar, S. India HURLEYI (Paramoera) INERMIS (Rhachotropis) Thurston 1974a (an 4/29) Ledoyer 1977 (AN 10/43,44) Signy Is., S. Orkney Islands off southern France INEXPECTATA (Ilvanella) Thurston 1974b (AN 6/23) Vigna-Taglianti 1972 (AN 3/31)
South Georgia Isle of Elba, Italy (subterranean) HYALELLOIDES (Gammarus) INEXPECTATUS (Stygobromus) HYALELLOIDES (Gammarus)

Cole 1976 (AN 8/28)

Holsinger 1978 (AN 10/42)

Texas, USA

Alabama, USA

entral detailment for the firm of a title of a significant of the contract of

False Bay, S. Africa

INHACA (Gammaropsis) Griffiths 1973 (AN 3/25) Inhaca Island, S. Mozambique

INQUILINUS (Parametope 11a) Watling 1975 (AN 7/35 & 8/27) Delaware Bay, USA

INTERITUS (Stygobromus)
Holsinger 1978 (AN 10/42) Virginia, USA

INTERMEDIUM (Corophium) Dang 1965 (AN 6/13) Coast of North Vietnam (brackish & fresh water)

INTERSTITIALIS (Paramoerella) Ruffo 1974b (AN 5/35) Cape Town, S. Africa

IO (Byblis) Imbach 1967 (AN 2/11, 12) and the second of Bay of Nhatrang, Vietnam

ISCHITANA (Ingolfiella) Schiecke 1976a (AN 9/60) Bay of Naples

ISOCHELATUS (Lembos) Ledoyer 1972 (AN 2/28) respectively to a personal incompletion Tuléar, Madagascar

ITALICUS (Gammarus) Goedmakers & Pinkster 1977 (AN 9/54) pro who a view Sardinia

JAFFAENSIS (Ampelisca) Bellan-Santini & Kaim-Malka 1977 (AN 10/38) Tel Aviv, Israel

JAMAICAE (Hadzia) Holsinger 1974b (AN 6/17) Jamaica (brackish water)

JANICEAE (Colomastix) Heard & Perlmutter 1977 (AN 10/52) Florida Keys, USA

JANISAE (Idunella)
Imbach 1967 (AN 2/11,12)

INFLATA (Aora)

JAPANICOIDES (Pleustomesus)

Griffiths 1976 (AN 8/29)

Gurjanova 1972 (AN 2/24, 3/34, 35) N.W. Pacific & High Arctic

JAPONICUS (Haustorioides) Kamihira 1977 (AN 9/60) Hokkaido, Japan

and all reports on the filler of expension of the control of the c

JENNERI (Gammarus) Bynum-& Fox 1977 (AN 9/53) make a contraction of the second secon North Carolina, USA with the self-time as the markly

JOHNSONI (Primno)
Bowman 1978 (AN 10/51) S.E. of Bermuda

JUGOSLAVICA (Iphimedia) Karaman 1975d (AN 8/22, 23) Adriatic Sea

KADEE (Moolapheonoides) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia

KAIKOURA (Cylindryllioides) Barnard 1972b (AN 3/39) Kaikoura, New Zealand

KAMTSCHATICUS (Gammarus (Lagunogammarus)) Tzvetkova 1972 (AN 2/36, 3/30, 31) Zaliv Kronotski, E. Kamchatka

KANDARI (Hyale) Barnard 1974 (AN 4/30) The resemble of the beauty to Western Port, Victoria, Australia

Control of the Control

KAPURI (Ingolfiella) 1973 (AN 4/21) Andaman and/or Nicobar Islands

KARAMANI (Lembos) Myers 1976b (AN 9/60) Boka Kotorska, Montenegro, Yugoslavia A Section of the Administration of the contract of the contrac

KARAMANI (Rhipidogammarus) Stock 1971 (AN 2/35) Corsica (France)

KARAUSCHI (Stenogammarus) alternative spelling of

Bay of Mhatrang, Vietnam KARITANE (Paracalliope) Barnard 1972b (AN 3/39) Hutt River, New Zealand (?brackish)

KARU (Podocerus) Barnard 1972b (AN 3/39) Wellington, New Zealand

KEISKAMA (Colomastix) Griffiths 1974b (AN 5/27) in the state of the finished as

KENKI (Stygobromus) Holsinger 1978 (AN 10/42) Washington DC, USA

KEREUSCHI (Stenogammarus) Berzhavin & Pjatakova 1962 (AN 7/9). Caspian Sea (see also under CARAUSUI)

KEREUSHUI (Stenogammarus) · Alternative spelling of KEREUSCHI (q.v.)

KERGUELENENSIS (<u>Li</u>ljeborgia) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island

KIDALI (Lembos) Myers 1975b (AN 8/25) Bongoyo Island, Tanzania

KNIPOWITSCHI (Akerogammarus) Derzhavin & Pjatakova 1967 (AN 7/9) Caspian Sea and an angeneral street to be greatered to

KOA (Grandidierella) and appearance for Some the analysis of Barnard 1977a (AN 10/37) Hawaiian Islands (Hawaii)

KOLLE (Ausatelson) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia

KOLOANA (Spelaeorchestia) Bousfield & Howarth 1976 (AN 9/59) Hawaii (in lava tubes)

KOMMA (Maera) Griffiths 1975 (AN 7/23) of the recommendation of the LATIPES (Ceining). Western Cape Province

ENGLKUNDUCHII : (Neomegamphopus) - and for the two transfer on the form the control of the form the control of Myers 1973a (AN 3/42) and the state of the state of the LATIPES (Mandibulophoxus) and the state of the state

KARORI (Taihape) Barnard 1972b (AN 3/39) Wellington, New Zealand and the property of the Conch Key, Monroe Co., Florida, and was the

> KUPE (Gitanopsis) Barnard 1972b (AN 3/39) Kaikoura, New Zealand

全国的现在分词 医克克氏 医克克氏 医克克氏 医克克氏 医皮肤 医克里氏氏管神经炎 医皮肤皮肤 医皮肤皮肤 医皮肤皮肤 医皮肤皮肤 医皮肤皮肤 医皮肤皮肤 医皮肤皮肤 电电阻 医皮肤性炎 医皮肤炎

KUSSAKINI (Pseudocercops) Vasilenko 1972b (AN 3/38) North Pacific

LABORIFER (Gammarus) Karaman & Pinkster 1977a (omitted from AN, see bibliography) Lake Yanoune, Syria

LACICOLUS (Stygobromus) Holsinger 1974a (AN 4/32) L. Tahoe, Placer Co., Calif., USA

LANACOURA (Paradexamine) Barnard 1972a (AN 2/17) Western Port, Victoria, Australia

LARAI (Paracalliope) Knott 1975 (AN 8/23) Dip River, N.W. Tasmania

LATACUNGA (Latacunga) Barnard 1972c (AN 3/39) Off Ecuador, 01°30'S, 82°19'W 1363-1369m.

LATICARPA (Amphilochella) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

LATICOXALIS (Gammarus) Karaman & Pinkster 1977a (omitted from AN, see bibliography) Anti-Lebanon Mountains, Syria (in a well)

LATIMERUS (Melita) Bousfield 1971 (AN 2/18, 19) Lake Noinalo, Mussau Island, Bismarck Archipelago.

Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

Dar es Salaam, Tanzania Luderitz Bay, S.W. Africa

the first term of the second of the second engineering engineering the second engineering remains than the second of the LEDOYERI (Ampelisca)

LONGICARPUS (Gitana) Ledoyer 1977 (AN 10/43, 44) 1977 (AN 10/38) Marseille, S. France LONGICARPUS (Metaphoxus) LEENSIS (Stygobromus) Ledoyer 1973b (AN 3/26) Holsinger 1978 (AN 10/42) Tuléar, Madagascar Virginia, USA, was groups, advantage, attemptings beganning LEONI (Chaka)
Griffiths 1974a (AN 4/23)
Vasilenko 1974 (AN 5/36) Natal, S. Africa Russian & neighbouring seas LEPTURA (<u>Hyperia</u>) LONGICORNIS (<u>Ritaumius</u>) Ledoyer 1978 (AN 10/44) Bowman 1973 (AN 3/23) Mauritius (reef cavities) off Baja California LONGIDACTYLUS (Photis) LEUCOPHTHALMA (Bathyporeia) Griffiths 1974c (AN 4/23) Bellan-Santini 1973 (AN 3/39) Luderitz Bay, S.W. Africa Marseille (S. France) LONGIMANA (Monoculodopsis) LEVIS (Asprogammarus (Echiuropus)) Ledoyer 1973b (AN 3/26) Bazikalova 1975a (AN 9/43) Tulear, Madagascar Lake Baikal LONGIPES (Metaniphargus) LINDAE (Listriella) Griffiths 1974c (AN 4/23) Aruba, Dutch West Indies Luderitz Bay, S.W. Africa LONGIROSTRIS (Parapanoploea) LINGA (Paradexamine) Bellan-Santini 1972a (AN 2/18) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia

Adelie Land, Antarctica LONGISETOSUS (Echinogammarus) LITORALIS (Caprella) Vasilenko 1972a (AN 3/38) Carana de sarratena participa Pinkster 1973 (AN 3/28) STREET AN 3/38) Navarra Provi, Spain Sea of Okhotsk & N.W. Pacific New Court Community (Fig. 1991) is a second pro-LONOMAKA (Hadzia (Liagoceradocus)) LITTORALIS (Metaphoxus) Hawaiian Islands (Maui) Stewart Island, New Zealand LOOREA (Hyale) LOBATA (Maera) Barnard 1974 (AN 4/30) Griffiths 1976 (AN 8/29) Cape Naturaliste, W. Australia S. Cape Province, S. Africa LUKINI (Caprella) LOKOA (Rotomelita) Barnard 1977a (AN 10/37) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas Hawaiian Islands (Hawaii) MACEDONICUS (Gammarus) LOKOWAI (Paramoera) Karaman 1976c (AN 9/46) Barnard 1977a (AN 10/37) MACKENZIEI (Stygobromus) LOLO (?Pardisynopia) Barnard-1971 (AN-2/15;-17) A The Kindle and Market Holsinger 1974a (AN-4/32) off Oregon, USA 44°39.7'N, 124°58!W. Santa Cruz Co., Calif. USA

MACROCEPHALUS (?Hippomedon)

Bellan-Santini 1972a (AN 2/18)

Adelie Land, Antarctica

400m.

MACROCHELA" (Parorchestia) The American American Mannagensis (Orchomenella) and American American American Mannagensis (Orchomenella) Bousfield 1971 (AN 2/18, 19) - Charles of the control of the contr Hermit Island, Bismarck Archipelago

MACROCORNUTUS (Pleonexes) Kensley 1972 (AN 2/27) Mocamedes, Southern Angola

MACRODACTYLA (Antarctogeneia) Thurston 1974b (AN 6/23) Graham Land, Antarctica The hard agree of the marketing the hard light is given by the

MACROPHTHALMA (Xenodice) Schiecke 1976c (AN 9/60) Bay of Naples, Italy

MACROPSIS (Asprogammarus (A.)) Bazikalova 1975a (AN 9/34) Lake Baikal

MADAGASCARENSIS (Aristias) Ledoyer 1972 (AN 2/28) Madagascar

MAGELLANICA (Mayerella) McCain & Gray 1971 (AN 2/29) 43°25'S, 75°05'W, 70-676m

MAGNA (Princaxelia) Kamenskaya 1977 (AN 10/42) Yap Trench (Ultra-abyssal)

MAIA (Ampelisca) a appearing a consider Imbach 1967 (AN 2/11, 12) w. Bay of Nhatrang, Vietnam

MALLEE (Austropheonoides) Barnard 1974 (AN 4/30) Pearson Islands S. Australia

> MANAWATU (Podocerus) Barnard 1972b (AN 3/39) Wellington, New Zealand

MANCO (Lepechinella) Barnard 1973 (AN 3/22)

MANENE (Waitomo) Barnard 1972b (AN 3/39)

MANEROO (Pontogeneiella). Barnard 1972a (AN 2/17)

Rabindranath 1971a (AN 2/31) Gulf of Mannar, S. India

MANTA (Westwoodilla) A come of the control of the second Griffiths 1974b (AN 5/27) off Cape Province 34°07'S, 23°33'E

Bowman 1974 (AN 5/25) Atlantic coast of USA 39°52'N, 70°12'W, 170-256m

MARGALEFI (Echinogammarus) Pinkster 1973 (AN 3/28) Teruel Prov., E. Spain

STATE PARTICIPATION OF STATE MARIAE (Gitanopsis) Griffiths 1973 (AN 3/25) Inhaca Island, Mozambique

MARIAE (Leptocheirus) Karaman 1973a (AN 4/25) Adriatic Sea

MARILLA (Megamoera) Barnard 1972a (AN 2/17) Port Phillip, Victoria, Australia

MARLIE (Paradexamine) Barnard 1972a (AN 2/17) Cockburn Sound, W. Australia

MARRI (Tryphosella) Thurston 1974b (AN 6/23) Graham Land, Antarctica

Commence of the second

MARTINI (Bogidiella) Stock 1978 (AN 10/49) St Martin Island, Dutch West Indies

MASLOVI (Menigrates) Bryazgin 1974b (AN 5/25) Barents Sea, 73°22'N, 18°59'E

MASSILIENSIS (Ampelisca) N.W. Crete, 843m Bellan-Santini & Kaim-Malka 1977 (AN 10/38) Mediterranean

off Oamaru, New Zealand, 860m

MASSILIENSIS (Atylus)

Bellan-Santini 1975 (AN 7/20) Bellan-Santini 1975 (AN 7/20)

Cape Naturaliste, W. Australia

MASSILIENSIS (Leptamphopus)

Ledoyer 1977 (AN 10/43, 44) pe Natural Land Commission of the Commission of the Commission Ledoyer 1977 (AN 10/43, 44) was a proper to the Commission of the Commissio

off southern France

MATEUSI (Orchestia) Afonso 1977 (AN 10/37) Azores

MAURITIENSIS (Gammaropsis) --Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

MAURITIENSIS (Paradusa) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

MAURITIENSIS (?Paralysianopsis) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

MECOCHIRA (Jerbarnia) Croker 1971a (AN 2/19) Eniwetok Atoll, Pacific Property

MEDIA (Caprella) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas

MEDIALIS (Byblis) Mills 1971 (AN 2/30) Western North Atlantic 39°47'N, 70°45'W, 1500m.

MEDITERRANEA (Peltocoxa) Napoli, Italy

MEDITERRANEUM (Pachychelium) Ruffo 1975 (AN 7/28) Central Adriatic 43°36'N, 15°42'W

MEDITERRANEUS (Onesimoides) Bellan-Santini 1974 (AN 4/19) off Corsica, 1900m.

MELAPE (Guernea) Barnard 1972a (AN 2/17)

MELLOID (Orthoprotella) of the interior of the control of the cont Quitete 1975 (AN 8/25) was a second of the MINUTUM (Corophium) to the feeting of the second of the property of

MASSILIENSIS (Orchomene)
Ledoyer 1977 (AN 10/43, 44)

Barnard 1974 (AN 4/30) Cape Naturaliste, W. Australia

A The Company of the Company of the Company

ang ang Pingalangan di Pingan ang mga binang panggang ang ang pangganggang panggang panggang ang mga binang mg MERALDI (Ochlesis) Barnard 1972a (AN 2/17) Pearson Islands, South Australia

MATILDA (Melita) MATILDA (Melita)

Barnard 1972a (AN 2/17)

MERIDIONALIS (Echinogammarus)

Pinkster 1973 (AN 3/28) Swan River, W. Australia, Andrew Leira Prov. Portugal

> MERRINGANNEE (Cottesloe)
> Barnard 1974 (AN 4/30) Western Port, Victoria, Australia

MICHAELAE (Bogidiella) Ruffo & Vigna-Taglianti 1977 (AN 10/48)Oaxaca prov., Mexico

MICROCERBERUS (Niphargus) Sket 1972 (AN 3/37) Torre, N.E. Italy

MICROPLEON (Synchelidium) Barnard 1977b (AN 10/52) San Francisco Ocean Beach, California

MICROPS (Gammarus) Pinkster & Goedmakers 1975 (AN 6/22) Taza Prov., Morocco

MIMONECTES (Andaniexis)
Ruffo 1975 (AN 7/28) Central Adriatic 42°31'N, 17°9'W, 225m alahan perimanan di kacamatan dari kecamatan dari berangan berangan berangan berangan berangan berangan berang

MINIMUS (Eulimnogammarus (Philolimnogammarus)) Bazikalova 1975b (AN 9/43) Lake Baikal

MINIMUS (Lembos) Myers 1977a (AN 10/47) Molasses Key, Monroe, Co., Florida, The argument of the American Conference of the Agreement of the Artist o

MINOTAURUS (Bogidiella) Ruffo & Schiecke 1976 (AN 9/60) on Crete. A decade, as in the party of

Cape Naturaliste, W. Australia Griffiths 1976 (AN 8/29) Lake Sibayi, S. Africa

Coast of Brazil Coast of North Vietnam (brackish and fresh waters)

MINUTUS (Stygobromus) Holsinger 1978 (AN 10/42) Georgia, USA MIRABILIS (Kozhovia) Bazikalova 1975b (AN 9/43) Lake Baikal on programme plantage, and palamanage garmanage kanadegar Western Cape Province sear-se astronomic interpretati MIRACULUM (Synchelidium) Imach 1967 (An 2/11, 12) Bay of Nhatrang, Vietname and Anthony MIRUS (Macropereiopus) Bazikalova 1975b (An 9/43) Lake Baikal MITCHELLI (Mexiweckelia) Holsinger 1973 (AN 4/23) Durango, Mexico MLADENI (Gammarus) Karaman & Pinkster 1977b (AN 10/34) Konya prov., Turkey MOE (Stenothoe) Barnard 1972b (AN 3/39) Wellington, New Zealand MOKARI (Nuuanu) Barnard 1974 (AN 4/30) Western Port, Victoria, Australia MOKE (Atvloella) Barnard 1972b (AN 3/39) Otago Harbour, New Zealand MONASTERIENSIS (Megaluropus) Ledoyer 1976 (AN 8/23) Marseille, S. France MONOCERA (Paramphithoe) Gurjanova 1972 (Aw 2/23, 3/34, 35) Newfoundland Area MONODONTUS (Cheirocratus) Karaman 1977b (AN 10/43) Napoli, Italy MONSPELIENSIS (Gammarus)... Pinkster 1972 (AN 3/28) Herault dept., S.E. France randi (fila dage all y allow harastang dara et auge gena yida en heliga delanda saben in MONTANENSIS (Stygobromus) Holsinger 1974a (AN 4/32)

Atlantic coast of America, southern

Ravalli Co., Montana, USA

New England to Gulf of Mexico

and there was expected action of the agent of a particle experience of the contract of the great MORBIHANENSIS (Orchomene) Bellan-Santini & Ledoyer (AN 5/32) was to any think or Kerguelen Island. The was the Market Special Con-MUCRONATA (Melita) Griffiths 1975 (AN 7/23) MUELLERI (Nuuana) Ortiz 1976c (AN 10/53) MULLAUNA (Syndexamine) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia MULLAYA (Narapheonoides) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia MULTISPINOSA (Ampelisca) Bellan-Santini & Kaim-Malka 1977 (AN 10/38)Marseille, S. France MUNDOE (Austrophenonoides) Barnard 1972a (AN 2/17) Albany, W. Australia MURICULATA (Protoaeginella) Laubitz & Mills 1972 (AN 2/28) Western North Atlantic 39°26'N, 70°33'W, 2496m. MURIWAI (Paradexamine) Barnard 1972b (AN 3/39)

Kaikoura, New Zealand

MYERSI (Microdeutopus) Bynum & Fox 1977 (AN 9/53) North Carolina, USA

MYSTICUS (Stygobromus) Holsinger 1974a (AN 4/32) Siskiyou Co., Calif., USA

NADARINI (Niphargus) Alouf 1972 (AN 3/33) Lebanon

NAGLEI (Rudilemboides) Bousfield 1973 (AN 3/18) was your and a street was a pathifican in the parameters and the constitution of the first of the constitution of

MONTEZUMAE, (Hyalella). And in the section of the control of the c Cole & Watkins 1977 (AN 9/44) Arizona, USA

t Sam data artik, ar mengati mela melangkan palamangkan mangkan mangkan pangan pangan pangan pangan pangangkan pangan pan NALGO (Tethygeneia) Barnard 1972a (AN 2/17) Albany, W. Australia The wall representative a strong and the beach) as the first and a second NANUS (Stygobromus) Holsinger 1978 (AN 10/42) West Virginia, USA and the second of the second of the second of the second was destern Port, Victoria, Australiant has been second or NARLUKE (Paradexamine)
Barnard 1972 a (AN 2/17) Cape Naturaliste, W. Australia NATALENSIS (Ceradocus) Griffiths 1974a (AN 4/23) Natal, S. Africa NIPHARGOIDES (Bogidiella) Ruffo & Vigna-Taglianti 1977 (AN 10/48) Oaxaca prov., Mexico NIPPONENSIS (Talorchestia) Morino 1972 (AN 3/28) Hikari City, Yamaguchi Prov., Japan NIRAE (Haploops) Kaim-Malka 1976 (AN 9/60) Golfe de Fos, S. France NITIOR (Coboldus) Krapp-Schickel 1974 (AN 6/5) Hvar, Adriatic NOA (Nihotunga) Barnard 1972b (AN 3/39) Kaikoura, New Zealand NOKO (Raumahara) type the entry and Barnard 1974 (AN 4/30) Pearson Islands, S. Australia NONEDIA 'Stenothoe) turnard 1974 (AL 4/36) ape Nathraliste, W. Australia WOVAECALEDONIAE (Paracalliope) Ruffo & Vesentini Paiotta 1972 (AN 3/32) New Galedonia NUBIFER (Lepidepecreoides)

Barnard 1971 (AN 2/15, 17)

2860m.

off Oregon, USA, 44°38'N, 126°01'W, WARREN

Anterior to the second of the NUDUS (Neogammarus) Stock 1971 (AN 2/35) Dept. Bouches-du-Rhone, S. France NUMBADI (Nuuanu) Barnard 1974 (AN 4/30) NUTTOO (Syndexamine) Barnard 1972a (AN 2/17) Port Philip, Victoria, Australia NYALA (Neomicrodeutopus) Griffiths 1974b (AN 5/27) Still Bay, Cape Province Andrews Landers OBA (Melita) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia OBNIXUS (Gammarus) Karaman & Pinkster 1977b (AN 10/34) Afyon Prov., Turkey OBOA (Leucothoe) Karaman 1971b (AN 2/26) Boka Kotorska, Adriatic OBRUTUS (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, USA OBSCURUS (Stygobromus) Holsinger 1974a (AN 4/32) Ravalli Co., Montana, USA nn Albert (a la la comita de Alberton) OBTUSATA (Biancolina) Possjet Bay, S. of Vladivostok, Ses of Japan OBTUSATUS (Microdentona) Myers 1973b (AN 4/32) Aegean Sea, W. of lamir, Turkey OBTUSIDENS (Echinogammarus) Punkster & Stock 1972 (AN 2/31) Cordoba Prov., Spain (freshwater) OCCLO (Lepechinella) Barnard (1973) (AN-3/22) Production to the barner of the published S.E. of Kaikoura, New Zealand, 721m.

NUDUM (Lepidepecreum) Imbach 1967 (AN 2/11, 12)

OCELLATA (Oradarea) Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands and the state of the state of the state of the state of OLIVIERI (Adeliella) De Brover 1975 (AN 6/16) 70"19 S, 24°14 E, 200m. OLONO (Gabophlias)
Barnard 1972a (AN 2/17) OLUTA (Syrrhoe) Barnard 1972c (AN 3/39) off Pacific Columbia 05°00'N, 79°04'W, 3023-3251m. OMNIFERA (Finoculodes) Barnard 1971 (AN 2/15,17) off Oregon, USA 44°40'N, 124°38'W, 800m. OPUNAKE (Amphilochus) Barnard 1972b (AN 3/39) Wellington, New Zealand OPUS (Heterophoxus) . Appli Griffiths 1975 (AN 7/23) Western Cape Province ORANA (Tryphosella) Barnard 1972a (AN 2/17) Albany, W. Australia Sec ORCHESTIPES (Bogidiella) Americally and a company Ruffo & Vigna-Taglianti 1977 (AN 10/48) Chiapas Prov., Mexico 所述。OREGONENSIS (Stygobromus) Holsinger 1974a (AN 4/32) Douglas, Co., Oregon, USA ORIENTALIS (Iphiplatera) lzvetkova 1976 (AN 8/32) Possjet Bay, S. of Vladivostok, Sea of Japan hiji je mare i i i e OROPS (Ampelisca) 1mbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam ORTHODACTYLUS (Atylopsis) Thurston 1974b (AN 6/23) South Shetland Islands t kannan ara kang bahar ki ki mendilin di kangan perdinan berbaharan menghir bebebaharan di perdinan di perdin OSELLAI (Gammarus) Karaman & Pinkster 1977a (omitted from AN, see bibliography)

Kayseri Prov., Turkey

ionii internatione (1961 on antoniae periode e en 1967 e este lo SELLAI (Synurella) Ruffo 1974a (AN 5/30) Tirebolu Prov., Turkey 医大手术 计电影 网络人名 网络大腿 化二氯甲二甲酚磺基磺基二甲酚甲基苯基甲酚 医多点性软质 OTICHI (Paradexamine) Barnard 1972a (AN 2/17) Albany, W. Australia OLONO (Gabophlias) UAIAKIHKA (Caprella) ... Vasilenko 1974 (AN 5/36) West Island, S. Australia, and the second of Russian & neighbouring seas of the second PAAKAI (Paramoera) Barnard 1977a (AN 10/37) Hawaiian Islands (Hawaii) PACHYTELSON (Maera) Karaman & Ruffo 1971 (AN 2/27) Caesarea, Israel PACIFICA (Caprella) Vasilenko 1972a (AN 3/38) Sea of Okhotsk & N.W. Pacific PACIS (Stegophippsiella) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen Island Town Commonwell To Barbell PAGURI (Gitanopsis) Myers 1974a (AN 4/27) Mombasa, Kenya, from hermit crabs PALAMA (Grandidierella) Barnard 1977a (AN 10/37) Hawaiian Islands (Maui) PALLIDUS (Perioculodes) Griffiths 1975 (AN 7/23) Western Cape Province asker Conference and the conference of the c PALMATA (Liljeborgia) Griffiths 1974b (AN 5/27) Still Bay, Cape Province PALMATUS (Lembopsis) Ledoyer 1972 (AN 2/28) Madagascar PALMYRENSIS (Echinogammarus) Alouf 1975 (AN 7/20) Tadmor, N.E. Lebanon PALPATOR (Metaniphargus) Stock 1977a (AN 10/49)

St. Martin, Dutch West Indies

Barnard & Drummond 1976 (AN 8/18)

PANAMUNUS (Birubius)

Australia

PANTASMA (Syrrhoites) Barnard 1972c (AN 3/39) 1363-1369m.

PARADOXUS (Pontogammarus) Derzhavin & Pjatakova 1967 (AN 7/9) Caspian Sea

Myers 1975a (AN 8/24) Kendwa Island, Tanzania

PARAPARADOXA (Paramphithoe) Gurjanova 1972 (AN 2/24,3/34,35) White Sea

PARAPAULINA (Caprella) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas

PARKERI (Bathyporeia) Bousfield 1973 (AN 3/18) Atlantic coast of USA, Cape Cod to Florida.

were the grown where we graphy organic for more PARTHENOPEIA (Rhinolabia) Ruffo 1972 (AN 3/29) Gulf of Naples, Italy

PARTICEPS (Mexiweckelia) Holsinger & Minckley '971 (AN 2/25) Northern Mexico (subterranean waters) the the letter to the transfer place being

PARVICEPS (Hyperietta) Bowman 1973 (AN 3/23) off Baja California of the angle of the second second of the second second of the second second of the second of t

PARVUS (Scutocyamus) Lincoln & Hurley 1974 (AN 5/29) Peterhead, Scotland (on white beaked dolphin)

PASQUINII (Bogidiella) Ruffo & Vigna-Taglianti 1977 (AN 10/48)Guatemala

PAULI (Idunella) Imbach 1967 (AN 2/11, 12) 12 March 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam

्रोक्तिक करिके हैं। इसिकेन हिंदू रिवार अधिको क्रिकेट करिकेट करिया है। इसिकेट हैं। इसिकेट हैं।

Karaman 1976a (AN 9/46). off Ecuador, 01°30'S, 82°19'W, Piva River Valley, Montenegro, Yugoslavia

The major of the amount of the secretary of the first of the secretary of

PAVO (Cammarus) Karaman & Pinkster 1977b (AN 10/34)
Burdur prov., Turkey

PARAHASTATUS (Lembos) Sket 1971 (AN 2/35) near Ljubljana, Slovenia, Yugoslavia

> PEKE (Ceradocopsis) Barnard 1972b (AN 3/39) Kaikoura, New Zealand

PENNAKI (Stygobromus) Ward 1977 (AN 10/50) Colorado, USA (subterranean)

PERCELLARIS (Harpiniopsis) Barnard 1971 (AN 2/15, 17) off Oregon 44°40'N, 124°59'W, 800m.

Barnard 1972c (AN 3/39) Caribbean 09°46.5'N, 79°37.5'W, 825-860m.

PERPLEXUS (Asprogammarus (Echiuropus)) Bazikalova 1975a (AN 9/43)

ويرايع والمرابع والمرابع والمناسبة والمحال المرابع والمحال والمحال والمرابع والمرابع والمرابع

PHAIOPHTHALMA (Bathyporeia) Bellan-Santini 1973 (AN 3/39)... Marseille, S. France

> PHREATICUS (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, USA

PILOSA (Byblis) Imbach 1907 (AN 2/11, 12) Bay of Nhatrang, Vietnam

PINKSTERI (Echinogrammarus) van Maren 1973 (AN 4/26) Central Italy

PIRATA (Idunella) Krapp-Schickel 1975a (AN 6/8, 7/25) Mediterranean

ongs trans meg saktory me antende one normal, an hafter official small and a sintellar plantages are formally an expensive agent from the continue of a market and a sintellar agent from the continue of the PLANIERENSIS (Ampelisca)
Bellan-Santini & Kaim-Malka 1977 (ÅN 10/38) Mediterranean

PLANIERENSIS (Amphilochus) Ledoyer 1977 (AN 10/43, 44)

Western North Atlantic, off southern France

PLAIEPISTOMUN (Paracallisoma) Andres 1977 (AN 9/55)

PLATYCERA (Ampithoe)
PROPAGATIO (Eriopisella) Sivaprakasam 1971a (AN 2/34) Madras coast, India

Quilon, Kerala, India (AN 10/38)

PLATYPODA (Urothoe) Griffiths 1974b (AN 5/27) off Cape Province 34°05'S, 23°24'E

PLATYROSTRIS (Metaphoxus) Ledoyer 1973b (AN 3/26) Tulear, Madagascar

PLUMOSA (Ceradomaera) Ledoyer 1973b (AN 3/26) Ifaty, Madagascar

POLLOSTUS (Stygobromus) Holsinger 1978 (AN 10/42) West Virginia, USA

POMBOI (Ampithoe (Pleonexes)) POMBOI (Ampithoe (Pleonexes))
Mareus & Afonso 1974 (AN 7/26)

POONTEE (Moolapheonoides) Coast of Israel

(Moolapheonoides) Coast of Israel

(Moolapheonoides) Coast of Israel Western Port, Victoria. Australia

POPULATION CHERZY IS Barner: 1972 - 1475 - 19 off Pacific Withrophic 12°45'N, 88°38'w, 377-3950m

POTON (Bruzelia) barnaro 1972e .Ak . 50.

Promosivaprakasam 1971c (AN 2/34) Progression and the promotion of the control of Gulf of Mannar, India

where the series of the contract of the contract was the contract of the contr $\mathcal{A}(\mathbb{R}, \mathbb{C} + \mathbf{A}(\mathbb{C})) = \{ (\mathbf{a}, \mathbf{a}, \mathbf{b}, \mathbf{a}, \mathbf{b}, \mathbf{a}, \mathbf{b}, \mathbf{b},$ PROFUNDI (Byblisoides)
Mills 1971 (AN 2/30) 36°20'N, 67°56'W, 4694m.

PROFUNDUS (Conicus) Griffith= 19740 (AN 5/27) Deep sea off Spain Cape Province, 33°52'S, 35°38'E

Bay of Nhatrang, Vietnam

PLATYDACTYLA (Urothoe) PROVINCIALIS (Ampelisca) Rabindranath 1971c (AN 2/31)

Rellan-Santini & Kaim-Malka 1977 Cassis, S. France

> PROXIMA (Haploops) Kaim-Malka 1976 (AN 9/60) Mediterranean

PSALTRICA (Liljeborgia) Krapp-Schickel 1975a (AN 6/8, 7/25) Mediterranean

PSEUDOLONGIMANUS (Amphilochoides) Ledoyer 1977(AN 10/43, 44) off southern France

PSEUDOPUNCTATUS (Lembos) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

PSEUDOSARSI (Ampelisca) Bellan-Santini & Kaim-Malka 1977 Coast of Israel

> PSEUDOSPINIMANA (Ampelisca) Bellon-Santini & Kaim-Malka 1977 Marseille 7. France

PSEUDOSPINOSUS (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, USA

E. of Tierra del Fuego

55°03'S, 58°57'W, 2452m.

PSEUDOSTROUMOV1 (Gammaropsis)

Ledoyer 1977 (AN 10/43, 44)

off southern France off southern France

Ledoyer 1978 (AN 10/44)

Mauritius (reef cavities)

PSEUDOSYRIACUS (Gammarus)

Karaman & Pinkster 1977a (omitted Mauritius (reef cavities)

Karaman & Pinkster 1977a (omitted from AN, see bibliography) PROCESSIFER (Atylus (Kamehatylus))

PUER (Asprogammarus (A.))

Bazikalova 1975a (AN 9/43)

RECTANGULATUS (Lembos)

Myers 1977b (AN 10/47) Lake Baikal PULCHELLIFORMIS (Asprogammarus (A.)) Bazikalova 1975a (AN 9/43) Lake baikal enst in cernal error or insurance for replace the elegative and the Nosy. Be , Madagascar, the proposed process and the continue of a process of the continue PUNCTATUS (Lembos) Myers 1975a (AN 8/24) - Profession Sept Congruence and Alexander Pangavani Island, Tanzania walka bake walka walk PUTEALIS (Ingolfiella (Gevgeliella)) Stock 1976a (AN 9/49) Bonaire Island, Dutch West Indies PUTEANUS (Stygobromus) Holsinger 1974a (AN 4/32) Gallatin Co., Montana, USA PYURAE (Podocerus) Griffiths 1975 (AN 7/23) False Bay, Western Cape Province (in branchial cavity of ascidian Pyura) QUABARA (Stenothoe) The land of the control Barnard 1974 (AN 4/30) Albany, W. Australia QUADRIMANUS (Lembos) Sivaprakasam 1971b (AN 2/34) Appa Island, Gulf of Mannar, QUARALLIA (Paradexamine) Barnard 1972a (AN 2/17) Albany, W. Australia e Majora (job 1915 garan jakeran ja si santa jorgi RAKIHRA (Paraphoxus) Cooper & Finenam 1974 PAN 5/26 slowers raised Sec Secretal RANGATIRA (Paramoera) Barnard 1972b (AN 3/39) Dunedin, New Zealand RASHIINI (Echinogammarus) Alouf 1976 (AN 9/51) Near Tripoli, Lebanon whether and the control of the complete state of the complete for the complete state of RAUA (Lepechinella) Barnard 1973 (AN 3/22) Caribbean; off Panama and white such as the such as the Sket 1971 (AN 2/35) to be the such as the such 566-811min in the second of th alimeteral and the contract of a contract to the contract of the contract that the contract of the contract of

The first service of the second of the second secon Cherokee Sound, Great Abaco Island, Bahamas in the second of the second s RECTITELSON (Maxillipius) Ledoyer 1975a (AN 3/20) REDACTUS (Stygobromus) Holsinger 1978 (AN 10/42) West Virginia, USA REDFEARNI (Pontogeneia) Thurston 1974a (AN 4/29)---Signy Is., S. Orkney Islands REDUCTA (Kerguelenia) Ledoyer 1977 (AN 10/43, 44) Off southern France RELICTA (Paramoera) Ueno 1971a (AN 2/36) West Japan (lava caves) RHOMBA (Guernea) Griffiths 1974c (AN 4/23) Cape Town, S. Africa RICHARDSONI (Ampelisca) Karaman 1975e (AN 8/23) Anvers Island, Antarctica ROCO (Echinogammarus) Karaman 1973f (AN 4/25) Abruzzo, Italy RONGGI (Paradexamine) Barnard 1972a (AN 2/17) Professional Professional and Cape Naturaliste, W. Australia barnord 1472: At 1/39 Karloura, New Zealand ROSSI (Oradarea) Thurston 1974a (AN 4/29) Rose Sea, Anterotica ROSTRATUM (Antatelson) which states a set of the set of Bellan-Santini & Ledoyer 1974 (AN 5/23) and the state of t ROSTRATUS (Niphargus)

ROTORUA (Gondogeneia) Barnard 1972b (AN 3/39) Kaikoura, New Zealand

ROTUNDICOXA (<u>Dexaminella</u>) Ledoyer 1972 (AN 2/28) Madagascar

ROTUNDIDENTATA (Caprella) Vasilenko 1972a (AN 3/38) Sea of Okhotsk & N.W. Pacific

ROTUNDIPLEURA (<u>Hippomedon</u>) Ledoyer 1973 (AN 3/26) Tulear, Madagascar

ROUCHI (Parasalentinella)
Bou 1971 (AN 2/18)
French Pyrenees (subterranean waters)

ROUXI (<u>Gammarus</u>) Pinkster & Goedmakers 1975 (AN 6/22) Fez prov., Morocco

RUA (<u>Paramoera</u>) Barnard 1977a (AN 10/37) Hawaiian Islands (Maui)

RUBROMACULATUS (<u>Lembos</u>) Ledoyer 1973d (AN 3/26) Marseille, S. France

RUFFOI (Ampelisca)
Bellan-Santini & Kaim-Malka 1977
(AN 10/38)
Marseille, S. France

RUFFOI (Bathyporeiapus) Escofet 1971 (AN 2/21) Buenos Aires, Argentina

EDUTOL Glombas: Hydro 1975b (AK 8125) Watamo Bay, Kenyo

RUFFOI (Niphargus)
Karaman 1976d (AN 9/56)
Frinli region, Italy

RUNDE (Syndexamine)
Barnard 1972a (AN 2/17)
West Island, S. Australia

RUSANOVAE (Acanthonotozoma)
Bryazgin 1974 (AN 5/25)
Barents Sea

SALDANHA (<u>Listriella</u>) Griffiths 1975 (AN 7/23) Western Cape Province

SAMOANA (Orchestia)
Bossfield 1971 (AN 2/18, 19)
Samod, 2000ft (very wet forest)

SAWYERI (Echaustorius)
Bosworth 1973 (AN 4/20)
Oregon, USA

SBORDONII (<u>Bogidiella</u>) Ruffo & Vigna-Taglianti 1974 (AN 7/28) Chiapas, Mexico

SCHELLENBERGI ($\frac{Orchomene}{AN 3/30}$)
South Georgia

SCHIECKEI (Maera) Karaman & Ruffo 1971 (AN 2/27) Ischia, Gulf of Naples, Italy

SCHINOSETOSUS (Echinogammarus)
Pinkster 1973 (AN 3/28)
Western Europe

SCHOENERAE (Eriopisa) Fox 1973 (AN 4/22) Bimini, Bahama Is.

SCUTATUS (Euonyx)
Griffiths 1977b (AN 10/41)
off Cape Town, 34°37'S, 17°03'E,
2900m

SEPTIMUS (Socarnes) (Man 20 & or Griffiths 1975 (AN 7/23) Western Cape Province

SFRed. Immaila) immaion 1907 (AR 2/11, 12) Bay of Mhatrang, Vietnam

SERRATICARPA (Leucothoe)
hrapp-Schickel 1976 (AN 6/9, 8/30)
Napoli, Italy (originally described by Della Valle, and now restored to specific rank from synonymy with L. spinicarpa L.)

SERRATICAUDA (Ampithoe)
Rabindranath 1972a (AN 2/32)
Gulf of Mannary, India

SERRIMA (Syrrhoe) In the contract of the contr Barnard 1972c (AN 3/39) E. of Bahia Blanca, Argentina 40°14.6'S, 55°24.7'W, 1475m.

SETICOXA (Heterophlias) Ortiz 1976b (AN 10752)

Hicacos Peninsula, Matanzas Prov., Cuba

SETIFER (Paracercops) Vasilenko 1972b (AN 3/38) North Pacific

SETIFERUS (Crangonyx) Birstein & Ljovuschkin 1972 (AN 3/33) Tian Shan (Middle Asia)

SETIMERUS (Lembos) Myers 1976b (AN 9/60) off Guinea, West Africa 10°49'N, 16°39'W

SEXSTACHYA (Melita) Gamo 1977 (AN 10/52) Sagami Bay, Japan

SHELDONI (Stygobromus) Holsinger 1974a (AN 4/32) Nevada Co., Calif., USA

SHOEMAKERI (Ceradocus) Fox 1973 (AN 4/22) Bimini, Bahama Is. 🦠

SHOEMAKERI (Lestrigonus) A war the seaton, as a re-Bowman 1973 (AN 3/23) Off Baja California

SHOEMAKERI (Microprotopus) Lowry 1972 (AN 2/28) Florida, USA

L'OILLANUS (Echinogammarus) Karaman & Tibaldi 1972 (AN 5/29) Sicily, Italy (treshwater)

SIERRENSIS (Stygobromus) Holsinger 1974a (AN 4/32) Sierra Co., Calif., USA

SIGNIENSIS (Atylopsis) Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands

SIMILIS (Listriella) same en glas actions Rabindranath 1971b (AN 2/31) Kerala, India

ार्व पर्वाद के प्रकार 🗔 🖟 प्रभाव में भारत के हिंदी है कि प्रकृति कार्यों कर के दिसा के जिल्लाह समाव पूर्व परित् के प्रकृति है के प्रकृति के प्रकृत

SIMILIS (Microdeutopus) Myors 1977c (AN 10/47) Pantellaria Island, Italy

SIMILIS (Parorchestia) Bousfield 1971 (AN 2/18, 19) Bismarck Archipelago

SIMPLICIFORMIS (Eulimnogammarus (Philolimnogammarus)) Bazikalova 1975b (AN 9/43) Lake Baikal

SINENSE (Corophium) Zhang Wei-Quan 1974 (AN 9/58) Shantung Peninsula, North China

SINUOSA (Listriella) Griffiths 1974b (AN 5/27) Still Bay, Cape Province

SODALIS (Maera) Karaman & Ruffo 1971 (AN 2/27) Boka Kotorska, Montenegro, Yugoslavia

SOOTAI (Bogidiella) Coineau & Chandrasekhara Rao 1973 (AN 4/21)Andaman and/or Nicobar Islands

اليستدور والوالمانيين المرازي وفيقعا وطهري فياح فالمعتوا

SPARSUS (Stygobromus) Holsinger 1978 (AN 10/42) Tennessee, USA

BENEFIT BERT DERRE WORK LICHTER SPINIBASUS (Paraphoxus) Gooper 1974 (AN 5/26) Wellington, New Zealand

SPINICAUDATA (Ampelisca) Ledoyer 1972 (AN 2/28) Madagascar

SPINICORNIS (Aora) Afonso 1976 (AN 8/27) Azores

SPINICOXA (Gondogeneia) Bellan-Santini & Ledoyer 1974 (AN 5/32) Crozet Islands

SIMILIS (Cheirimedon). Thurston $\overline{1974b}$ (AN $\overline{6/23}$) SPINICOXA (Grandidierella). Graham Land, Antarctica Myers $\overline{1972}$ (AN $\overline{3/28}$) Tulear, Madagastar (intertidal) a state at est

SPINIDACTYLA (Janice) Griffiths 1973 (AN 3/25) Morrumbere Estuary, S. Mozambique (brackish)

the first of the first of

SPINIFERA (Ceradocus) Ledoyer 1973b (AN 3/26) Tulear, Madagascar

Ledoyer 1973d (AN 3/26) Marseille, S. France

SPINIPES (Pterunciola) Just 1977b (AN 10/42) Carolina, USA, 800-1540m (in empty Pteropod shells

SPINOSA (Unciolella) Griffiths 1974a (AN 4/23) Natal, S. Africa

SPINOSUS (Mesoproboloides) Bellan-Santini & Ledoyer 1974 (AN 5/32) Kerguelen & Crozet Islands

STANKOI (Niphargus) Karaman 1974a (AN 4/25) Bukovo, southern Macedonia, Yugoslavia

STANKOKARAMANI (Gammarus) Karaman 1976b (AN 9/46) L. Ohrid, Yugoslavia

etalic et la company de la company de la company

STARMUEHLNERI (Orchestia) Ruffo & Vesentini Paiotta 1972 (AN 3/32)New Caledonia

STEBBINGI (Hyperietta) Bowman 1973 (AN 3/23) Off Central California

STEGERORUM (Stygobromus) Holsinger 1978 (AN 10/42) Virginia, USA

STEGOSAURA (Panoploea) Griffiths 1975 (AN 7/23) Western Cape Province

STEPHENSENI (Brevitalitrus) Bousfield 1971 (AN 2/18, 19) Samoa, alt . 2000 ft (very wet forest) was compact TARRAGONENSIS (Echinogammarus) and compact the same series

STEPHENSENI (Hyperietta) Bowman 1973 (AN 3/23)

STEPHENSENI (Parawaldeckia) Hurley & Cooper 1974 (AN 5/39)

STONINGTONENSIS (Seba) SPINIMANUS (Leptocheirus), and the control of the state o Marguerite Bay, Antarctica

> SUBCLYPEATUM (Lepidepecreum) Ruffo & Schiecke 1977 (AN 10/48) Central Adriatic, 200m.

SUBPUSILLA (Gitanopsis) Rabindranath 1972b (AN 2/32) Quilon, Kerala, India

SULCUS (Uristes) Griffiths 1974b (AN 5/27) Off Cape Province 34°04'S, 23°26'E

TABARINI (Orchomene) Thurston 1972 (AN 3/30) Hope Bay, Antarctic Peninsula

TABU (Echinogammarus) Karaman 1972c (AN 2/38) Var dept., S. France

TABULARIS (Ingolfiella (Gevgeliella)) Stock 1977b (AN 10/49) Curacao

TAHOENSIS (Stygobromus) Holsinger 1974a (AN 4/32) L. Tahoe, Placer Co., Calif., USA

TAKKURE (Austropheonoides) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia

TALIKADZEI (Niphargus) Giliarov, Lagidze, Levushkin & Talikadze 1974 (AN 5/33) Shair Gele, N. Of Batum, Georgia, USSR

0.44 TANABENSIS (Siphonoecetes) Harada 1971 (AN. 2/24) Tanage Bay, Honshu, Japan 👵 👵

the open in the state of the control of the control of the property of the Pinkster 1973 (AN-3/28) to proper with the control of the Pinkster y a magayay garang garang ana ang garang garang garang maga Proyes, N. E. Spain maganda ng agas ang na sa

TARTE (Leucothoe) to with the manner of the second of Barnard 1974 (AN 4/30) Port Phillip, Victoria, Australia

TAUPO (Atylus) Barnard 1972b (AN3/39) Kaikoura, New Zealand

TAVARESI (Hadzia)
Mateus & Mateus 1972 (AN 3/27) Mateus & Mateus 1972 (AN 3/27) Algarve, Portugal (subterranean)

TAWAHI (Gammaropsis) Barnard 1972b (AN 3/39) Kaikoura, New Zealand

TENUICAUDA (Homocerisca) Bazikalova 1975b (An 9/43) Lake Baikal

TEPUNI (Maera) Barnard 1972b (AN 3/39) Port Hutt, New Zealand

TEXANA (Hyalella) Stevenson & Peden, 1973 (AN 3/39) Texas, USA

TEXENSIS (Mexiweckelia) Holsinger 1973 (AN 4/23) Texas, USA

THADALEE (Paradexamine) Barnard 1972a (AN 2/17) Albany, W. Australia

THRIXA (Maera) Griffiths 1975 (AN 7/23) Proceed to the second Western Cape Province

THUMBELLINUS (Microdeutopus) Griffiths 1974a (AR 4/23) Natal, S. Africa

THYABILIS (Byblis) Barnard 1971 (AN 2/15, 17) 19 (2019 1997) 2 22 22 21 Off Oregon, USA, 44°40'N, 125°07'W,

TIMARU (?Guernea) Barnard 1972b (AN 3/39) Huaroa Pt., New Zealand

TORRIDA (Leucothoides) Barnard 1974 (AN 4/30)

TRACATRIX (?Hippomedon) Barnard 1971 (AN 2/15, 17) Off Oregon, UDS, 44°38'N, 125°30'White wat the table

TRANSITIVUS (Niphargus)

Some support of the companies of the second of the second

TRANSVAALENSIS (Sternophysinx) Holsinger & Straskraba 1973 (AN 4/23) Drakensberg MTS, Transvaal, S. Africa Carlo Transfer

TRICHIATUS (Sarothrogammarus) Stock 1971 (AN 2/35) Central Afghanistan, 3000m alt.

TRIDACTYLA (Lepidepecreella) Bellan-Santini 1972a (An 2/18) Adelie Land, Antarctica

TRIDENTATUS (Eusirus) Bellan-Santini & Ledoyer 1974 (AN 5/32) Adelie Land, Antarctica

TRILOBATA (Protella) McCain & Gray 1971 (AN 2/29) off Falkland Islands, 51°58'S, 56°38'W, 646-845m.

TRIPLEX (Harpiniopsis) Barnard 1971 (AN 2/15, 17) Off Oregon, USA, 44°36.4'N 125°24.8'W, 2800m.

TRIPOLIENSIS (Echinogammarus) Alouf 1976 (AN 9/51) Near Tripoli, Lebanon Tripoli, Tebanon

> TRISPINOSUM (Paracanthonotosoma) Relian-Gantin, 1972a (AK 2/18) Ad-lie Land. Antarctica

TRITUS (Stygobromus) Holsinger 1974a (AN 4/32) Ravalli Co., Montana, USA

TROPAKIS (Tiron) Barnard 1972c (AN 3/39) California, USA, 34°24'N, 119°50.5'W

TROPICA (Gitanogeiton).... Rabindranath 1972b (AN 2/32)

Falarik Islet, Ifaluk, Micronesia TRUNCATA (Ampelisca) Bellan-Santini & Kaim-Malka 1977 (AN 10/38)Napoli, Italy

TSUSHIMANA (Paramoera) Ueno 1971b (AN 2/36) Tsushima Is., Japan

TULEARENSIS (Maera) Ledover 1972 (AN 2/28) Madagascar

TULKARA (Tethygeneia)

Barnard 1972a (AN 2/17)

Wyers 1977a (AN 10/47) Cape Naturaliste, W. Australia w Work Conference

TUMOROSA (Urothoe) Griffiths 1974a (AN 4/23) Off Natal, S. Africa

TUMULOSA (Guernea) Griffiths 1976 (AN 8/29) Mossel Bay, S. Africa

TURCARUM (Obesogammarus) Stock 1974a (AN 7/6, 7) Agri Prov., Turkey

TWALAE (Lepidepecreum) Griffiths 1974b (AN 5/27) 36°39'S, 23°41'E

TZVETKOVAE (Ischyrocerus) Kudrjashov 1973 (AN 6/25) Kurile Islands

UCHU (Lepechinella) Barnard 1973 (AN 3/22) Off Costa Rica (Pacific), 3545m. The common terms

ULCISOR (?Halice) Barnard 1971 (AN 2/15, 17) Man Off Oregon, USA; 44°39'N, 124°55'W, 1997 600m.

> PLE Cansatelson; Barnard 1972a (AN 2717) Cape Naturaliste, W. Australia

ULTIMA (Orchomene) Bellan-Santini 1972b (AN 3/22) Adelie Land, Antarctica

ULUDAGI (Gammarus) Karaman 1975a (AN 7/25) Bursa Prov., Turkey

UNCHALKA (Guernea) Albany, W. Australia

Bynum & Fox 1977 (AN 9/53) North Carolina, USA

and the first of t

UNIDENTATA (Oradarea) Thurston 1974a (AN 4/29) Signy Is., S. Orkney Islands

Myers 1977a (AN 10/47) Conch Key, Monroe County, Florida,

VAGGALA (Orchestia) Bowman 1977 (AN 10/30) -Cristobal, Galapagos & Angle Company

VALOSA (Cymadusa) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam

VARSOVIENSIS (Gammarus) Jazdzewski 1975 (AN 7/24) Old bed of R. Vistula, Warsaw prov.,

VEMAE (Luconacia) McCain & Gray 1971 (AN 2/29) Western North Atlantic, 41°57'S, 59°03'W

VERVECEI (Ampelisca) Bellan-Santini & Kaim-Malka 1977 (AN 10/38) Napoli, Italy

VIDUARUM (Lembos) Things and Date of the Control of Wyers 1974b (AN 8/24)

VIETNAMICA (Melita) Dane 1967 (AN +/14) North Vietnam (brackish waters)

VIGITEGUS (Paraphoxus) Barnard 1971 (AN 2/15, 17) Oregon, USA 44°39.8'N, 124°59'W

VILLATICUS (Echinogammarus)... Coimbra, Portugal distribution of the things with a distribution and

VITREA (Lepechinella) Kamenskaja 1977 (AN 10/42) Barnard 1972a (AN 2/17)

one har aprilia de provincia esta e en el espera de la comercia en espera de comercia de la provincia de la comercia del comercia del comercia de la comercia del la comercia de la comercia de la comercia de la comercia de la comercia del l

VOMEROI (<u>Bogidiella</u>) Ruffo & Vigna-Taglianti 1977 (AN 10/48) Chiapas prov., Mexico

VULPECULUS (<u>Bathymedon</u>)
Barnard 1971 (AN 2/15, 17)
Off Oregon, USA 44°39'N, 128°57'W,
800m.

WAHINE (<u>Elasmopus</u>)
Barnard 1972b (AN 3/39)
Off Cape Young, New Zealand

WAIPIRO (Paraphoxus)
Barnard 1972b (AN 3/39)
Wellington, New Zealand

WAIRARAPA (?Wandelia) Barnard 1972b (AN 3/39) Wellington, New Zealand

WAKA (Stenothoe)
Barnard 1974 (AN 4/30)
Albany, W. Australia

WALKERI (<u>Pardisynopia</u>) Ledoyer 1973d (AN 3/26) Marseille, south France

WALLANGAR (<u>Yulamara</u>) Barnard 1972a (AN 2/17) Pt. Noalunga, S. Australia

WALLAROO (Andaniotes)
Barnard 1972a (AN 2/17)
Port Phillip, Victoria, Australia

WAMINDA (Tethygeneia) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia

WANE (<u>Syndexamine</u>) Barnard 1972a (AN 2/17) Pearson Islands, S. Australia

WANGANUI (<u>Podocerus</u>) Barnard 1972b (AN 3/39) Dunedin, New Zealand

WANNAPE (Ceina) Barnard 1972a (AN 2/17) Albany, W. Australia

WAREA (Chucullba)
Barnard 1974 (AN 4/30)
Cape Naturaliste, W. Australia

WARROO (Garatelson)
Barnard 1972a (AN 2/17)
Cape Naturaliste, W. Australia

WECOMUS (<u>Hippomedon</u>)
Barnard 1971 (AN 2/15, 17)
Oregon, USA
44°39'N, 124°18'W

WELLINGTONENSIS (Urothoe) Cooper 1974 (AN 5/26) Wellington, New Zealand

WENGERORUM (Stygobromus) Holsinger 1974a (AN 4/32) Mariposa Co., Calif., USA

WHAKATANE (Metaceradocus) Barnard 1972b (AN 3/39) Wellington, New Zealand

WILARI (<u>Hyale</u>) Barnard <u>1974</u> (AN 4/30) Pearson Islands, S. Australia

WILLIAMSI (<u>Maera</u>) Bynum & Fox 1977 (AN 9/53) North Carolina, USA

WINDARRA (<u>Paradexamine</u>) Barnard 1972a (AN 2/17) Albany, W. Australia

WOLFFI (Brevitalitrus) Bousfield 1971 (AN 2/18, 19) Bismarck Archipelago

WOLFFI (<u>Dulichia</u>) Laubitz 1977 (AN 9/57) S. Greenland

WUNDA (Syndexamine)
Barnard 1972a (AN 2/17)
Albany, W. Australia

YA (<u>Parelasmopus</u>) Barnard 1972a (AN 2/17) Cockburn Sound, W. Australia

YAKE (<u>Hyale</u>) Barnard 1974 (AN 4/30) Cheyne Beach, W. Australia

YAMBA (<u>Parawaldeckia</u>) Barnard 1972a (AN 2/17) West Island, S. Australia YAQUINA (?<u>Pardaliscella</u>) Barnard 1971 (AN 2/15, 17) Oregon, USA, 44°39'N, 125°50'W, 400m

YAQUINAE (Epimeria) McCain 1971 (AN 2/29) Oregon, USA, 2800m.

YARREGA (<u>Leucothoides</u>) Barnard 1974 (<u>AN 4/30</u>) Western Port, Victoria, Australia

YAYA (<u>Unguja</u>) Griffiths 1976 (AN 8/29) Mossel Bay, S. Africa

YUNDE (Elasmopus)
Barnard 1974 (AN 4/30)
Port Peron, W. Australia

ZYGODONTA (<u>Caprella</u>) Vasilenko 1974 (AN 5/36) Russian & neighbouring seas

(b) Subspecies newly raised to specific rank

AGRARIUS (<u>Gammarus</u>)
(previously <u>G. monspeliensis agrarius</u>
G. Karaman)

Karaman & Pinkster 1977a
(omitted from AN, see bibliography
Vilayet Konya, Turkey

CALVUS (Echinogammarus)
(previously Gammarus berilloni
calvus Margalef 1956)
Pinkster 1973 (AN 3/28)
Western Europe

DALMATINA (<u>Bogidiella</u>)
(previously <u>B</u>. <u>albertimagni</u> <u>dalmatina</u>
S. Karaman 1953)
Karaman 1973h (AN 4/25)
Yugoslavlia

DULENSIS (Gammarus)
(previously <u>Gammarus</u> <u>pavlovici</u> <u>dulensis</u>
S. Karaman 1939)
Karaman 1973g (AN 4/25)

GLACIALIS (<u>Bogidiella</u>)
(previously <u>B</u>. <u>albertimagni</u> <u>glacialis</u>
S. Karaman 1959)
Karaman 1973h (AN 4/25)
Yugoslavia

IBERICUS (Gammarus)
(previously G. pulex ibericus
Margalef 1951)
Pinkster 1971 (AN 2/31)

MICROPHTHALMUS (Carinurus)
(previously Acanthogammarus platycarinus var. microphthalmus Sovensky 1915)
Karaman 1977a (AN 10/52)
Lake Baikal

OBSCURUS (<u>Carinurus</u>) (previously C. <u>solskii</u> <u>obscurus</u> Dorogostajskij 1922)

PACHYPUS (Niphargus)
(previously N. kochianus pachypus)
Stock & Gledhill 1977 (AN 10/36)
N.W. Europe

PACIFICA (Ampelisca) (previously A. eschrichtii pacifica Gurjanova 1955) Karaman 1975e (AN 8/23)

RAMBOUSEKI (<u>Gammarus</u>) (previously <u>G. pulex rambouseki</u> S. Karaman 1931) Karaman 1973g (AN 4/25)

STOJICEVICI (Gammarus)
(previously G. argaeus stojicevici
S. Karaman
Karaman & Pinkster 1977b (AN 10/34)

TURPIS (Lepechinella)
(previously L. arctica turpis
Barnard 1973b (AN 3/22)
Off Baja California, 1205-2667m.

(c) New subspecies and other taxa below specific rank

ACANTHOPODA (n. forma of <u>Polycheria</u> antarctica)
Thurston 1974b (AN 6/23)
Antarctica

AGRARIUS (n. ssp. of <u>Gammarus</u> monspeliensis)
Karaman 1973g (AN 4/25)
Vilayet Konya, Turkey

ALATUS (n. ssp. of <u>Niphargus</u> <u>boskovici</u>) Karaman 1973c (AN 4/25) Montenegro

ANGUSTIPES (n. ssp. of Unyapheonoides dabber) Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

ANTALYAE (n. spp. of <u>Echinogammarus</u> thoni)
Karaman 1971a (AN 2/26)
Antalya, S. Turkey (freshwater)

ARAURENSIS (n. ssp. of <u>Gammarus</u> <u>pulex</u>) Pinkster 1972 (AN 3/28) Herault dept., S.E. France

ARCADIENSIS (n. ssp. of <u>Echinogammarus</u> <u>tabu</u>)
Alouf 1975 (AN 7/20)
Akkar, N. Lebanon

ARCTICUS (n. ssp. of <u>Arrhis phyllonyx</u>) Bryazgin 1974 (AN 5/25) Barents Sea

ASIATICUS (n. ssp. of <u>Pleusirus</u>
<u>seccorus</u>)
Kudrjashov & Tzvetkova 1975 (AN 7/26)
South Sakhalin

ATLANTIS (n. ssp. of <u>Scina</u> <u>wagleri</u>) Thurston 1976 (AN 8/26) off Canary Islands, 780m.

BARBIGRA (n. ssp. of <u>Caprella neglecta</u>) Arimoto 1971 (AN 2/17) Japan

BRACHYURUS (n. ssp. of Asprogammarus (A.) rhodophthalmus)
Bazikalova 1975a (AN 9/43)
Lake Baikal

BREVIS (n. ssp. of <u>Plesiogammarus</u> gerstaeckeri) Bazikalova 1975b (AN 9/43) Lake Baikal

CHRISTOPHORENSIS (n. ssp. of Metaniphargus longipes)
Stock 1977a (AN 10/49)
Curacao, Dutch West Indies

COGNOMINIS (n. ssp. of <u>Gammarus pulex</u>) Karaman & Pinkster 1977a (AN 10/34) Bulgaria (in caves)

DIMORPHOPUS (n. ssp. of Niphargus kochianus)
Stock & Gledhill 1977 (AN 10/36)
Benelux Countries (N.W. Europe)

EUACANTHOIDES (n. ssp. of <u>Neopleustes</u> pulchellus)
Gurjanova 1972 (AN 2/24, 3/34,35)
Bering Sea

EUGENOVI (n. ssp. of Paramphithoe cuspidata)
Gurjanova 1972 (AN 2/24, 3/34, 35)
Barents Sea

GAGARAE (n. ssp. of Stenopleustes cornigera)
Gurjanova 1972 (AN 2/24, 3/34, 35)
Sea of Okhotsk

GALLICUS (n. ssp. of <u>Gammarus</u> <u>pulex</u>) Pinkster 1972 (AN 3/28) Western Europe

HAUMURI (n. ssp. of <u>Ceradocus</u> <u>rubromaculatu</u> Barnard 1972b (AN 3/28) Wellington, New Zealand

HETEROPALPUS (n. ssp. of <u>Typhlogammarus</u> mrazeki)
Karaman 1972b (AN 2/27)
Yugoslavia

HIRSUTUS (n.ssp. of Amphithoe pollex Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)

HUMBOLDTIENSIS (n. ssp. of <u>Caprella</u> acanthifera)
Martin 1977 (AN 10/46)
Coast of N. California

HYRCANUS (n. ssp. of <u>Chaetogammarus</u> pauxillus)
Pjatakova 1962b (AN 7/8)
Caspian Sea

ITALICUS (n. ssp. of Niphargus stygocharis)
Karaman 1976d (AN 9/56)
Bergamo region, Italy

JAPONENSIS (n. ssp. of <u>Pleustes</u> cataphractus)
Gurjanova 1972 (AN 2/24, 3/34, 35)
Zaliv Petra Velikogo, Sea of Japan

KAUERTI (n. ssp. of <u>Melita</u> <u>zeylanica</u>) Barnard 1972a (AN 2/17) Swan River, W. Australia

MASSILIENSIS (n. ssp. of Megaluropus agilis)
Ledoyer 1976 (AN 8/23)
Marseille, S. France

MELTICENSIS (n. ssp. of <u>Niphargus</u> <u>kochianus</u>)

Dancau & Andreev 1973 (AN 3/32)

Bulgaria

MONTENIGRINA (n. ssp. of Synurella intermedia)
Karaman 1974b (AN 5/29)
Yugoslavia

MOZAMBICUS (n. ssp. of <u>Lembos</u> quadrimanus)
Myers 1975a (AN 8/24)
Mozambique Channel

MUTUS (n. ssp. of <u>Echinogammarus</u> tabu Karaman & Tibaldi 1973 (AN 5/29) Sicily, Italy (freshwater)

OCHOTICUS (n. ssp. of <u>Pleustoides</u> quadridens)
Gurjanova 1972 (AN 2/24, 3/34, 35)
Sea of Okhotsk

ORIENTIS (n. ssp. of Metaniphargus curasavicus)
Stock 1977a (AN 10/49)
Curacao, Dutch West Indies

PARADOXUS (n. ssp. of <u>Pleustes</u> <u>angulatus</u> Gurjanova 1972 (AN 2/24, 3/34, 35) Iturup Is., W. of Hokkadai, Japan, 414m.

PETSCHORICUS (n. ssp. of <u>Hippomedon</u> propinquus)
Bryazgin 1974b (AN 5/25)
Barents Sea, 73°22'N, 18°59'W

POLONENSIS (n. ssp. of Gammarus pulex) Karaman & Pinkster 1977a (omitted from AN, see bibliography) Poznan prov., Poland

REDUCTUS (n. ssp. of Nannonyx goesi)
Greze 1975 (AN 6/21, 7/3)
Black Sea

SEMPERCARINATUS (n. ssp. of Asprogammarus (Echiuropus) macronychus
Bazikalova 1975a (AN 9/43)
Lake Baikal

SIBIRICUS (n. ssp. of <u>Pleustes panoplus</u>) Gurjanova 1972 (AN 2/24, 3/34, 35) 77°01'N, 142°28'W

STANKOI (ssp. of <u>Gammarus pavlovici</u> replacing <u>G. p. montanus</u> S. Karaman 1929, preoccupied)
Karaman 1974c (AN 5/37)
Yugoslavia

STRENUUS (n. ssp. of Asprogammarus (A.) rhodophthalmus)
Bazikalova 1975a (AN 9/43)
Lake Baikal

VAFER (n. ssp. of <u>Paramphithoe</u> <u>buchholzi</u> Gurjanova 1972 (AN 2/24, 3/34, 35) Sea of Okhotsk

BIBLIOGRAPHY

- AFONSO, 0., 1976. Amphipoda des Acores cueillis par scaphandrier autonome (avec le description d'une nouvelle espece). Publicoes Inst. Zool. Dr. Augusto Nobre 130, 1-38.
- AFONSO, 0., 1977. Contribution a l'etude des Amphipodes des Acores description d'une nouvelle espece. Publcoes Inst. Zool. Dr. Augusto Nobre 135, 1-32.
- ALOUF, N.J., 1972. Description d'un nouvel amphipode gammaride des eaux souterraines du Liban, <u>Niphargus nadarini</u> n.sp. Ann. Speleol. <u>27</u>, 547-558.
- ALOUF, N.J., 1973. Brotope et description de <u>Niphargus altagahizi</u> n.sp., Amphipode Gammaride souterrain du Liban. Int. J. Speleol. 5, 49-61.
- ALOUF, N.J., 1975. Sur la presence d'<u>Echinogammarus</u> du groupe <u>pungens</u> au Proche Orient: <u>E. palmyrensis</u> n.sp., <u>E. cannubinensis</u> n.sp. et <u>E. tabu arcadiensis</u> n.ssp. Bull. zool. Mus. Univ. Amsterdam 4, 125-140.
- ALOUF, N.J., 1976. Sur la presence d'Echinogammarus du groupe pungens au Liban: E. berytensis n.sp., E. tripoliensis n.sp. et E. rashiini n.sp. (Crustaces, Amphipods). Bull. zool. Mus. Univ. Amsterdam 5, 163-176.
- ANDRES, H.G., 1975a. Zur Verbreitung euliteraler Gammaridea (Amphipoda, Crustacea) an den von Kaltwasserstromen beeinfluszten Kusten Sudamerikas und Sudafrikas sowie Angaben über sublitorale Gammaridea von der Chilenischen Kuste. Diss. Univ. Hamburg, 139pp.
- ANDRES, H.G., 1975b. <u>Nicippe buchi</u> n.sp., ein Pardaliscide aus einem Lavatunnel auf Lanzarote (Amphipoda, Crustacea). Mitt. hamb. zool. Mus. Inst. 72, 91-95.
- ANDRES, H.G., 1977. Gammaridea (Crustacea, Amphipoda) aus dem Iberischen Tiefseebecken. Auswertung des Material der Fahrten 3 und 15 von F.S. "Meteor". Meteor ForschErgebn. D.25, 54-67.
- ARIMOTO, I., 1971. List of Caprellidea Amphipoda in Japan with record of new locallities (sic) part 2. Bull. biogeogr. Soc. Japan 26, 13-20.
- ARIMOTO, I., 1976. <u>Heterocaprella clavigera</u> n. gen., n. sp., unique new caprellid with remarkable sexual dimorphism from the Korean Straits (Amphipoda, Caprellidae). Crustaceana 30, 43-48.
- BARNARD, J.L., 1971. Gammaridean Amphipoda from a deep-sea transect off Oregon. Smithson. Contr. Zool. 61, 1-86.
- BARNARD, J.L., 1972a. Gammaridean Amphipoda of Australia, part 1. Smithson. Contr. Zool. 103, 1-333.
- BARNARD, J.L., 1972b. The marine fauna of New Zealand: algae-living littoral Gammaridea (Crustacea Amphipoda). Mem. N.Z. oceanogr. Inst. 62, 1-216.

- BARNARD, J.L., 1972c. A review of the family Synopiidae (=Trionidae) mainly distributed in the deep sea. Smithson. Contr. Zool. 124, 1-94.
- BARNARD, J.L., 1973. Deep-sea Amphipoda of the genus <u>Lepechinella</u> (Crustacea). Smithson. Contr. 2001. <u>133</u>, 1-30.
- BARNARD, J.L., 1974. Gammaridean Amphipoda of Australia, part 2. Smithson. Contr. Zool. 139, 1-148.
- BARNARD, J.L., 1977a. The cavernicolous fauna of Hawaiian lava tubes.

 9. Amphipoda (Crustacea) from brackish lava ponds on Hawaii and Maui.
 Pacif. Insects 17, 267-299.
- BARNARD, J.L., 1977b. A new species of <u>Synchelidium</u> (Crustacea, Amphipoda) from sand beaches in California. Proc. biol. Soc. Wash. <u>90</u>, 877-883.
- BARNARD, J.L. & M.M. DRUMMOND, 1976. Clarification of five genera of Phoxocephalidae (Marine Amphipoda). Proc. biol. Soc. Wash. 88, 515-548.
- BAZIKALOVA, A.Ya., 1975a. (On the taxonomy of Baikal amphipods). Trudy limnol. Inst. Sibirs. otdel. Akad. Nauk SSSR 18, 31-81. (in Russian).
- BAZIKALOVA, A.Ya., 1975b. (New amphipods of Lake Baikal.) Trudy limnol. Inst. Sibirs. otdel. Akad. Nauk SSSR 18, 81-92. (In Russian).
- BELLAN-SANTINI, D., 1972a. Invertebres marins des XIIeme et XVeme expeditions antarctiques francaises en Terre Adelie. 10. Amphipodes gammariens. Tethys, Suppl. 4, 157-238.
- BELLAN-SANTINI, D., 1972b. Amphipodes provenant des continus stomacaux de trois especes de poissons Nototheniidae recoltes en Terre Adelie (Antarctique). Tethys 4, 683-702.
- BELLAN-SANTINI, D., 1973. Sur deux nouvelles especes mediterraneens de Bathyporeia (Amphipoda, Haustoriidae). Bull. Soc. zool. Fr. 98, 91-103.
- BELLAN-SANTINI, D., 1974. Amphipodes bathyaux de Mediterranee. Bull. Inst. oceanogr. Monaco <u>71</u>(1427), 1-9.
- BELLAN-SANTINI, D., 1975. Au sujet d'une nouvelle espece d'Atylus (Amphipoda, Dexaminidae) de Mediterranee: Atylus massiliensis n.sp. Boll. Mus. civ. Stor. nat. Verona 1(1974), 473-479.
- BELLAN-SANTINI, D. & R.A. KAIM-MALKA, 1977. Ampelisca nouvelles de Mediterranee (Crustacea Amphipoda). Boll. Mus. civ. Stor. nat. Verona 4, 479-523.
- BELLAN-SANTINI, D. & M. LEDOYER, 1974. Gammariens (Crustacea Amphipoda) des iles Kerguelen et Crozet. Tethys 5(1973), 635-708.
- BENEDICT, J.A., 1977. <u>Mayerella acanthopoda</u>, a new species (Amphipoda, Caprellidae) from Southern California. Crustaceana 33, 47-55.

- BIRSTEIN, J.A. & S.I. LJOVUSCHKIN, 1972. (<u>Crangonyx setiferus</u> sp.n. (Crustacea, Amphipoda) from springs of Tian Shan. Fauna of the subterranean waters from Middle Asia.) Trudy zool. Inst. Leningr. 51, 139-146 (In Russian).
- BOSWORTH, W.S., 1973. Three new species of <u>Eohaustorius</u> (Amphipoda, Haustoriidae) from the Oregon coast. Crustaceana 25, 253-260.
- BOU, Cl., 1971. <u>Parasalentinella rouchi</u> n.g., n.sp., des eaux souterraines des Pyrenees francaises (Amphipoda, Gammaridae). Ann. Speieol. <u>26</u>, 481-494.
- BOUSFIELD, E.L., 1971. Amphipoda of the Bismarck Archipelago and adjacent Indo-Pacific Islands. Steenstrupia 1, 255-293.
- BOUSFIELD, E.L., 1973. Shallow-water Gammaridean Amphipoda of New England. Cornell University Press.
- BOUSFIELD, E.L., 1976. A new terrestrial amphipod from Lord Howe Island. Rec. Aust. Mus. 30, 118-122.
- BOUSFIELD, E.L. & J.W. ELWOOD, 1971. A new <u>Gammarus</u> (Crustacea: Amphipoda) from Tennessee. Am. Midl. Nat. <u>85</u>, 247-253.
- BOUSFIELD, E.L. & F.G. HOWARTH, 1976. The cavernicolous fauna of Hawaiian lava tubes. 8. Terrestrial Amphipoda (Talitridae), including a new genus and species, with notes on its biology. Pacif. Insects 17, 144-154.
- BOWMAN. Th.E., 1973. Pelagic amphipods of the genus hyperialea). Smithson. Contr. Zool. 136, 1-76.
- 30WMAN. Th.E., 1974. The "sea-flea" <u>Doloprotus mardeni</u> n.gen., n.sp., a deep-water American lobster bait scavenger (Amphipoda: Eusiridae). Proc. biol. Soc. Wash. <u>87</u>, 129-138.
- BOWMAN, Th.E., 1977. Orchestia vaggala n.sp., a new land-hopper from the Galapagos Islands (Crustacea: Amphipoda: Talitridae). Proc. biol. Soc. Wash. 90, 658-668.
- BOWMAN, Th.E., 1978. Revision of pelagic amphipod genus <u>Primno</u> (Hyperiidea: Phrosinidae). Smithson. Contr. Zool. <u>275</u>, 1-23.
- BRYAZGIN, V.F., 1974a. (A contribution to the fauna of Gammaridea (Amphipoda) in the Barents Sea.) Zool. Zh. 53, 1417-1420. (In Russian, with English summary.)
- BRYAZGIN, V.F., 1974b. (Species of the family Lysianassidae (Amphipoda, Gammaridea) first recorded from the Barents Sea). Zool. Zh. 53, 1570-1574. (In Russian, with English summary).
- BYNUM, K.H. & R.S. FOX, 1977. New and noteworthy amphipod crustaceans from North Carolina, U.S.A. Chesapeake Sci. 18, 1-33.

- COINEAU, N. & G. CHANDRASEKHARA RAO, 1973. Isopodes et amphipodes des sables intertidaux des iles Andaman et Nicobar (Golfe du Bengale). Vie et Milieu 23A(1972), 65-100.
- COLE, G.A., 1976. A new amphipod crustacean, <u>Gammarus hyalelloides</u> n.ap. from Texas. Trans. Am. microsc. Soc. <u>95</u>, 80-85.
- COLE, G.A. & R.L. WATKINS, 1977. <u>Hyalella montezumae</u> a new species (Crustacea: Amphipoda) from Montezuma Well, Arizona. Hydrobiologia <u>52</u>, 175-184.
- COOPER, R.D., 1974. Preliminary diagnoses of three new amphipod species from Wellington Harbour. N.Z. Jl mar. freshw. Res. 8, 239-241.
- COOPER, R.D. & A.A. FINCHAM, 1974. New species of Haustoriidae, Phoxocephalidae, and Oedicerotidae (Crustacea: Amphipoda) from northern and southern New Zealand. Rec. Dominion Mus. 8, 159-179.
- CROKER, R.A., 1971a. A remarkable new amphipod genus from Eniwetok Atoll lagoon. Pacif. Sci. 25, 382-386.
- CROKER, R.A., 1971b. A new species of <u>Melita</u> from the Marshall Islands, Micronesia. Pacif. Sci. 25, 100-108.
- DANCAU, D., 1971. Sur un nouvel amphipode souterrain de Roumanie,
 <u>Niphargus alutensis</u>. Trav. Inst. Speleol. Emile Racovitza 10, 209-215.
- DANCAU, D., 1973. Contribution a la connaissance des Amphipodes souterraines de Cuba in T. Orghida, A.N. Jimenez et al. (ed.). Resultats des expeditions biospeologiques Cubano-Roumaines a Cuba 1, 223-229.
- DANCAU, D., 1973b. Observation sur les Amphipodes souterrains de l'Île de Majorque. Genre <u>Bogidiella</u> Herzog. Trav. Inst. Speleol. Emile Racovitza <u>12</u>, 113-119.
- DANCAU, D. & S. ANDREEV, 1973. Sur un nouvel amphipode souterrain de Bulgarie <u>Nipharqua kochianua melticensia</u> n. ssp. Int. J. Speleol. 5, 135-142.
- DANG NGOC THANH, 1965. Tap San Sinhuat-Dia Hoc (Journal biologique et geologeographique, Hanoi) 4(3), 146-152. (In Vietnamese).
- DANG NGOC THANH, 1967. Tap San Sinhuat-Dia Hoc (Journal biologique et geologeographique, Hanoi) 6(3-4), 155-165. (In Vietnamese).
- DE BROYER, C., 1973. Notes sur les <u>Orchomene</u> (Amphipodes, Lysianassidae) de l'Ocean Austral. 1. Description d'<u>Orchomene hureaui</u> n.sp. de Terre Adelie. Bull. Inst. r. Sci. nat. Belg. 49(7), 1-12.
- DE BROYER, C., 1975. Revision du genre <u>Adeliella</u> (Amphipoda, Gammaridea, Lysianassidae) et description d'une nouvelle espece antarctique. Cruataceana 28, 73-85.

- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1962. Nove vidy kaspijskix amfipod. (New species of Caspian amphipods). Dokl. Akad. Nauk azerb. SSR <u>18</u>(9), 53-57.
- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1967. Novye vidy gammarid Kaspijskogo Morja (New species of gammarids from the Caspian Sea). in M.A. Musaev et al. (eds.): "Biologiceskaja produktionost' Kurinsko-Kaspijskogo rybolovnogo rajona" Isdatel'stvo Akademii Nauk Azerbajdzan Skogo SSR, Baku, 79-84.
- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1968. A new species of Amphipod of the genus Niphargoides from the Caspian Sea. Crustaceana 15, 98-100.
- ESCOFET, A., 1971. (Marine Amphipoda from the province of Buenos Aires. II. Observations on the genus <u>Bathyporeiapus</u>, with the description of B. ruffor n.sp.). Neotropica 17, 107-115 (In Spanish).
- FENWICK, G.D., 1977. <u>Mesoproboloides excavata</u> n.sp. (Amphipoda: Gammaridea: Stenothoidae) from New Zealand. N.Z. Jl mar. freshw. Res. 11, 471-478.
- FINCHAM, A.A., 1977. Establishment of a new genus in the family Phoxocephalidae (Crustacea: Amphipoda) and a description of a new species from North Island, New Zealand. Bull. Br. Mus. nat. Hist. (Zool.) 31, 285-292.
- FOX. R.S., 1973. <u>Ceradocus shoemakeri</u> and <u>Eriopisa schoenerae</u>, new amphipods (Crustacea: Gammaridae) from the Bahama Islands. J. Elisha Mitchell scient. Soc. 89, 147-159.
- GAMO, S., 1977. A new gammaridean Amphipoda, <u>Melita sexstachya</u> sp. nov. from Sagami Bay. Proc. jap. Soc. syst. Zool. 13, 65-71.
- GILIAROV, M.S., O.I. LAGIDZE, S.I. LEVUSHKIN & D.A. TALIKADZE, 1974.

 (The first species of soil inhabiting gammarid belonging to the genus Nipharqus (Amphipoda, Crustacea). Dokl. Akad. Nauk SSSR Biol. 217, 1149-1152. (In Russian.)
- GOEDMAKERS, A. & S. PINKSTER, 1977. The <u>Gammarus pulex</u>-group in Italy (Crustacea Amphipoda) (A study based on material from the Museo Civico di Storia Naturale, Verona). Bull. zool. Mus. Univ. Amsterdam 6, 11-20.
- GREZE, I.I., 1975. (A new species <u>Nannonyx goesi reductus</u> (Amphipoda, Gammaridea) from the Black Sea.) Zool. Zh. 54, 297-299. (In Russian.)
- GRIFFITHS, C.L., 1973. The Amphipoda of southern Africa. 1. The Gammaridea and Caprellidea of Southern Mocambique. Ann. S. Afr. Mus. 60, 265-306.
- GRIFFITHS, C.L., 1974a. The Amphipoda of Southern Africa. 3. The Gammaridea and Caprellidea of Natal. Ann. S. Afr. Mus. 62, 209-264.
- GRIFFITHS, C.L., 1974b. The Amphipoda of Southern Africa. 4. The Gammaridea and Caprellidea of the Cape Province east of Cape Agulhas. Ann. S. Afr. Mus. 65, 251-336.

- GRIFFITHS, C.L., 1974c. The Amphipoda of Southern Africa. 2. The Gammaridea and Caprellidea of S.W. Africa south of 20 S. Ann. S. Afr. Mus. 62, 169-208.
- GRIFFITHS, C.L., 1975. The Amphipoda of Southern Africa. 5. The Gammaridea and Caprellidea of the Cape Province west of Cape Agulhas. Ann. S. Afr. Mus. 67, 91-181.
- GRIFFITHS, C.L., 1976. Some new and notable Amphipoda from Southern Africa. Ann. S. Afr. Mus. 72, 11-35.
- GRIFFITHS, C.L., 1977a. The South African Museum's Meiring Naude cruises. 6. Amphipoda. Ann. S. Afr. Mus. 74, 105-123.
- GRIFFITHS, C.L., 1977b. Deep-sea amphipods from west of Cape Point, South Africa. Ann. S. Afr. Mus. 73, 93-104.
- GURJANOVA, E.F., 1972. (Some new species of amphipods (Amphipoda, Gammaridea) from the northwestern part of the Pacific and High Arctic). Trudy zool. Inst. Leningr. 51, 129-200. (In Russian).
- HARADA, E., 1971. A new amphipod of the genus <u>Siphonoecetes</u> from the shallow bottom of southern Japan, with reference to the diagnoses of the genus and its species. Publs Seto mar. biol. Lab. <u>18</u>, 355-378.
- HEARD, R.W. & D.G. PERLMUTTER, 1977. Description of <u>Colomastix janiceae</u> n.sp., a commensal amphipod (Gammaridea: Colomastigidae) from the Florida Keys, U.S.A. Proc. biol. Soc. Wash. 90, 30-42.
- HEARD, R.W. & W.B. SIKORA, 1972. A new species of <u>Corophium</u> Latreille, 1806 (Crustacea: Amphipoda) from Georgia brackish waters with some ecological notes. Proc. biol. Soc. Wash. <u>84</u>, 467-476.
- HOLSINGER, J.R., 1973. Two new species of the subterranean amphipod genus <u>Mexiweckelia</u> (Gammaridae) from Mexico and Texas, with notes on the origin and distribution of the species. Bull. Ass. Mex. Cave Stud. 5, 1-12.
- HOLSINGER, J.R., 1974a. Systematics of the subterranean amphipod genus <u>Stygobromus</u> (Gammaridae), Part 1: Species of the western United States. Smithson. Contr. Zool. <u>160</u>, 1-63.
- HOLSINGER, J.R., 1974b. A new cavernicolous amphipod crustacean of the genus <u>Hadzia</u> (Gammaridae) from Jamaica, with notes on the distribution and taxonomic status of the species. Ann. Speleol. 29, 647-655.
- HOLSINGER, J.R., 1978. Systematics of the subterranean amphipod genus <u>Stygobromus</u> (Crangonyctidae), part 2. Species of the eastern United States. Smithson. Contr. Zool. <u>226</u>, 1-144.
- HOLSINGER, J.R. & W.L. MINCKLEY, 1971. A new genus and two new species of subterranean amphipod crustaceans (Gammaridae) from Northern Mexico. Proc. biol. Soc. Wash. 83, 425-444.

- HOLSINGER, J.R. & M. STRASKRABA, 1973. A new genus and two new species of subterranean amphipod crustaceans (Gammaridae) from South Africa. Ann. Speleol. 28, 69-79.
- HURLEY, D.E. & R. COOPER, 1974. Preliminary descriptions of a new species of <u>Parawaldeckia</u> (Crustacea Amphipoda, Lysianassidae) from New Zealand (Note). N.Z. Jl mar. freshw. Res. <u>8</u>, 563-567.
- IMBACH, M.C., 1967. Gammaridean Amphipoda from the South China Sea. Naga Rep. 4(1), 39-167.
- JANKOWSKII, A.V. & S.V. VASILENKO, 1972. (Commensological sketches. 5. <u>Caprella astericola</u> sp.n. (Amphipoda, Caprellidea) from <u>Asterias amurensis</u>). Zool. Zh. <u>52</u>, 947-951. (In Russian with English summary.)
- JAZDZEWSKI, K., 1975. Remarks on <u>Gammarus lacustris</u> G.O. Sars, 1863, with description of <u>Gammarus varsoviensis</u> n.sp. (Crustacea, Amphipoda). Bijdr. Dierk. <u>45</u>, 71-86.
- JUST, J., 1974. On <u>Palaeogammarus</u> Zaddach, 1864, with a description of a new species from western Baltic amber. Steenstrupia 3, 93-99.
- JUST, J., 1977a. Amphyllodomus incurvaria gen. et sp.n. (Crustacea, Amphipoda) a remarkable leaf-cutting amphithoid from the marine shallows of Barbados. Zoologica Scr. 6, 229-232.
- JUST, J., 1977b. A new genus and species of corophiid Amphipoda from pteropod shells of the bathyal western Atlantic, with notes on related genera (Crustacea). Steenstrupia 4, 131-138.
- KAIM-MALKA, R.A., 1976. Revision des <u>Haploops</u> (Crustacea, Amphipoda) de Mediterranee. Boll. Mus. civ. Stor. nat. Verona 3, 269-308.
- KAMENSKAJA, O.E., 1977. (Two new species of ultraabyssal amphipods from Yap Trench). Trudy Inst. Okeanol. 108, 105-115. (In Russian.)
- KAMIHIRA, Y., 1977. A new species of sand-burrowing marine amphipods from Hokkaido, Japan. Bull. Fac. Fish. Hokkaido Univ. 28, 1-5.
- KARAMAN, G.S., 1971a. Beitrag zur Kenntnis der Amphipoden. 30. Ueber einigen Amphipoden aus Greichenland und Kleinasien. Acta Mus. maced. Sci. nat. 12, 21-40.
- KARAMAN, G.S., 1971b. Beitrag zur Kenntnis der Amphipoden. 33.

 Ueber einige neue und schon bekannte Arten der Gattung Leucothoe
 (Fam. Leucothoidae) aus der Adria sowie dem Mittelmeer. Memorie
 Mus. civ. Stor. nat. Verona 19, 57-71.

- KARAMAN, G.S., 1971c. Beitrag zur Kenntnis der Amphipoden. 35. Zum Problem der Seba-Arten: <u>Seba aloe</u> n.sp. und <u>Seba armata</u> (Chevreux) (Fam. Sebidae). Memorie Mus. civ. Stor. nat. Verona 19, 73-90.
- KARAMAN, G.S., 1972a. Contribution to the knowledge of the Amphipoda.

 37. Niphargus asper, n.sp., Echinogammarus foxi (Schell.) and E. stocki
 G. Kar. (fam. Gammaridae) from Yugoslavia. Acta Mus. maced. Sci. nat.
 13, 1-18.
- KARAMAN, G.S., 1972b. Contribution to the knowledge of the Amphipoda.

 38. On the genus <u>Typhlogammarus</u> (Schaferna) (fam. Gammaridae) from Yugoslavia. Fragm. balcan. 9, 21-34.
- KARAMAN, G.S., 1972c. Contributions to the knowledge of the Amphipoda.

 36. On some <u>Echinogammarus</u> and <u>Chaetogammarus</u> species from France and Italy. Glasn. rep. Zav. Zast. Prir. Zbirke Titogradu 4 (1971), 83-99.
- KARAMAN, G.S., 1973a. Contribution to the knowledge of the Amphipoda. 42. On some new or very interesting Amphipoda of the Adriatic Sea. Memorie Mus. civ. Stor. nat. Verona 20 (1972), 99-147.
- KARAMAN, G.S., 1973b. Contribution to the knowledge of the Amphipoda.

 44. On three interesting Neogammarus species from Mediterranean and Adriatic seas (Amphipoda: Gammaridae). Acta Mus. maced. Sci. nat. 13, 109-129.
- KARAMAN, G.S., 1973c. Contribution to the knowledge of the Amphipoda.
 47. Two new Niphargus species from Crna Gora (Montenegro), N.
 inclinatus n.sp. and N. boskovici alatus n.ssp. Periodicum biol. 75,
 275-283.
- KARAMAN, G.S., 1973d. Contribution to the knowledge of the Amphipoda.

 48. Two new species of family Gammaridae from Yugoslavia, Niphargus deelemanae n.sp. and Typhlogammarus algor n.sp. Arch. Hydrobiol. 72, 490-500.
- KARAMAN, G.S., 1973e. Contribution to the knowledge of the Amphipoda.
 49. On three <u>Niphargus</u> species (Family Gammaridae) from the Balkans.
 Int. J. Speleol. <u>5</u>, 143-152.
- KARAMAN, G.S., 1973f. Contribution to the knowledge of the Amphipoda.

 51. Two members of <u>Echinogammarus simoni</u> group from Southern Europe, <u>E. cari</u> (S. Kar. 1931) and <u>E. roco</u> n.sp. (fam Gammaridae). Poljopr. Sum. <u>19</u>(1), 1-21.
- KARAMAN, G.S., 1973g. Contribution to the knowledge of the Amphipoda.

 53. Some new or very interesting <u>Gammarus</u> species from southern Europe and Asia Minor. Poljopr. Sum. 19(3), 1-42.
- KARAMAN, G.S., 1973h. Contribution to the knowledge of the Amphipoda. 54. On the genus <u>Bogidiella</u> Hert. (fam. Gammaridae) in Yugoslavia. Poljopr. Sum. 19(4), 21-53.

- KARAMAN, G.S., 1974a. Contribution to the knowledge of the Amphipoda.

 46. Two subterranean Niphargus species from Yugoslavia, N. stankoi
 n.sp. and N. ilidzensis Schaferna (Fam. Gammaridae). Glasn. rep. Zav.
 Zast. Prir. prir. Zbirke Tirogradu 6 (1973), 35-57.
- KARAMAN, G.S., 1974b. Contribution to the knowledge of the Amphipoda.

 58. Genus <u>Synirella</u> Wrzes. in Yugoslavia with remarks on its all world known species, their synonymy, bibliography and distribution (Fam. Gammaridae). Polyopr. Sum. 20(2-3), 49-60.
- KARAMAN, G.S., 1974c. Crustacea Amphipoda in Catalogus Faunae Jugoslaviae (Ljublana) 3 - 3, 1-42.
- KARAMAN, G.S., 1975a. Contribution to the knowledge of the Amphipoda.

 56. <u>Gammarus</u> species from Asia Minor (Fam. Gammaridae). Boll. Mus. civ. Stor. nat. Verona <u>1</u>, 311-343.
- KARAMAN, G.S., 1975b. Contribution to the knowledge of the Amphipoda.
 61. Ampeliaca dalmatina n.sp., one new ampeliacid from the Adriatic Sea (fam. Ampeliacidae). Poljopr. Sum. 21, 105-112.
- KARAMAN, G.S., 1975c. Contribution to the knowledge of the Amphipoda.
 63. Ampithoe helleri n.sp., a new name for Ampithoe bicuspis Heller 1866. Glasn. rep. Zav. Zast. Prir. prir. Zbirke Titogradu 8, 39-41.
- KARAMAN, G.S., 1975d. Contribution to the knowledge of the Amphipoda.
 65. Two interesting amphipods from the Adriatic Sea, Iphimedia
 Iphimedia
 Ipugoslavica
 Interesting
 Interestin
- KARAMAN, G.S., 1975e. Contribution to the knowledge of the Amphipoda. 68. Description of 2 new species of the genus Ampeliaca (Family Ampeliacidae) along with a redescription of A. bouvieri Chevreux, 1913. Beaufortia 24, 37-54.
- KARAMAN, G.S., 1975f. Contribution to the knowledge of the Amphipoda.
 73. Three <u>Niphargus</u> species from Yugoslavia and Italy, <u>N. ambulator</u> n.sp., <u>N. pupetta</u> (Sket) and <u>N. transitivus</u> Sket (fam. Gammaridae).
 Poljopr. Sum. <u>21</u>, 13-34.
- KARAMAN, G.S., 1976a. Contribution to the knowledge of the Amphipoda.

 71. Two Niphargus species from Crna Gora, N. pavicevici n.sp. and N. evijici S. Karaman, 1950 (Fam. Gammaridae). Glas. rep. Zav. Zast. Prir. prir. Zbirke Titogradu 9, 21-30.
- KARAMAN, G.S., 1976b. Contribution to the knowledge of the Amphipoda. 75. Description of one new species of the genus <u>Gammarus</u> (family Gammaridae) from the Ohrid Lake, <u>G. stankokaramani</u> n.sp. Poljopr. Sum. 22, 87-96.
- KARAMAN, G.S., 1976c. Contribution to the knowledge of the Amphipoda. 76. Gammarus macedonicus n.sp., one new species from Ohrid Lake. Posebno Izd. prirod. Muz. Skopje 7, 71-79.

- KARAMAN, G.S., 1976d. Conmtribution to the knowledge of the Amphipoda.
 72. Four new <u>Nipharqua</u> species from Italy, <u>N. duplus</u>, <u>N. stygocharis italicus</u>, <u>N. ruffoi</u>, and <u>N. canui</u> (Gammaridae). Vie Milieu 26c, 21-50.
- KARAMAN, G.S., 1977a. Contribution to the knowledge of the Amphipoda. 81. Revision of the genus <u>Carinurus</u> Sov. 1915 from Baikal Lake (fam. Gammaridae). Poljopr. Sum. <u>13</u>, 33-52.
- KARAMAN, G.S., 1977b. Contribution to the knowledge of the Amphipoda.

 82. New members of the genus <u>Cheirocratus</u> Nor, from Mediterranean Sea.

 <u>C. monodontus</u> n.sp. (fam. Gammaridae). Glas. rep. Zav. Zast. Prir.

 prir. Zbirke Titogradu <u>10</u>, 59-68.
- KARAMAN, G.S., 1977c. Contribution to the knowledge of the Amphipoda. 88. The value of genus <u>Neogammarus</u> (Ruffo 1937) and its relation to the genus <u>Echinogammarus</u> Stebb. 1889 (fam. Gammaridae). Animalia 4, 109-121.
- KARANAN, G.S. & S. PINKSTER, 1977a. Freshwater <u>Gammarus</u> species from Europe, North Africa and adjacent regions of Asia (Crustacea Amphipoda) Part I <u>Gammarus pulex</u> group and related species. Bijdr. Dierk. <u>47</u>, 1-97.
- KARAMAN, G.S. & S. PINKSTER, 1977b. Freshwater <u>Gammarus</u> species from Europe, North Africa and adjacent regions of Asia (Crustacea Amphipoda) Part II. <u>Gammarus roeseli</u> group and related species. Bijdr. Dierk. <u>47</u>, 165-196.
- KARAMAN, G.S. & S. RUFFO, 1971. (Contribution to the knowledge of the Mediterranean species of the genus <u>Maera</u>). Memorie Mus. civ. Stor. nat. Verona <u>19</u>, 113-176. (In Italian with English summary.)
- KARAMAN, G.S. & S. RUFFO, 1977. On some interesting <u>Echinogammarus</u> species from the Mediterranean basin with description of a new species, <u>E. catacumbae</u> n.sp. (Amphipoda, Gammaridae). Animalia 4, 163-182.
- KARAMAN, G.S. & E. TIBALDI, 1973. Some new <u>Echinogammarus</u> species (Amphipoda, Gammaridae) from Italy. Memorie Mus. civ. Stor. nat. Verona 20(1972), 325-344.
- KENSLEY, B., 1972. Amphipoda from Southern Angola. Ann. S. Afr. Mus. 57, 149-156.
- KNOTT, B., 1975. A new species of freshwater amphipod, <u>Paracalliope</u>
 larai (family Eusiridae), from Tasmania. Pap. Proc. R. Soc. Tasm. 109,
 39-52.
- KRAPP-SCHICKEL, G., 1974. Camill HELLERS Sammlung Adriatischer Amphipoder - 1866 und heute. Annln naturh. Mus. Wien 78, 319-379.
- KRAPP-SCHICKEL, G., 1975a. Neues uber die Liljeborgiiden des Mittelmeeres (Crustacea, Amphipoda). Boll. Mus. civ. Stor. nat. Verona 1(1974), 455-472.

- KRAPP-SCHICKEL, G., 1975b. Revision of Mediterranean <u>Leucothoe</u> species (Crustacea, Amphipoda). Boll. Mus. civ. Stor. nat. Verona <u>2</u>, 91-118.
- KRAPP-SCHICKEL, G., 1976. Die Gattung <u>Stenothoe</u> (Crustacea, Amphipoda) in Mittelmeer. Bijdr. Dierk. <u>46</u>, 1-34.
- KUDRJASHOV, V.A., 1972. On a new species of <u>Dogielinotus</u> (Amphipoda) from the Sea of Okhotsk. Crustaceana, Suppl. 3, 246-250.
- KUDRJASHOV, V.A., 1973. (New amphipod species (Gammaridae) from the intertidal zone of the Kurile Islands). Zool. Zh. 34, 364-371.
- KUDRJASHOV, V.A. & N.L. TZVETKOVA, 1975. (New and rare species of Amphipods (Gammaridae) from the coastal waters of the South Sakhalin). Zool. Zh. 54, 1306-1315. (In Russian, English summary.)
- LAUBITZ, D.R., 1972. The Caprellidae (Crustacea: Amphipoda) of Atlantic and Arctic Canada. Publs biol. Oceanogr. natn. Mus. Can. 4, 1-82.
- LAUBITZ, D.R., 1977. A revision of the genera <u>Dulichia</u> Kroyer and <u>Paradulichia</u> Boeck (Amphipoda, Podoceridae). Can. J. Zool. <u>55</u>, 942-982.
- LAUBITZ, D.R. & G.S. LEWBEL, 1974. A new species of caprellid (Crustacea: Amphipoda) associated with gorgonian octocorals. Can. J. Zool. 52, 549-551.
- LAUBITZ, D.R. & E.L. MILLS, 1972. Deep-sea Amphipoda from the western north Atlantic Ocean. Caprellidae. Can. J. Zool. <u>50</u>, 371-383.
- LEDOYER, M., 1972. Amphipodes Gammariens vivant dans les alveoles des constructions organogenes recifales intertidales de la region de Tulear (Madagascar). Etude systematique et ecologique. Tethys, Suppl. 3, 165-286.
- LEDOYER, M., 1973a. Amphipodes gammariens de la frondaison des herbiers d'Enhalus de la region de Nosy-Be (Madagascar) (Systematique et ecologique). comparaison avec la faune des herbiers de Tulear (Cymodocea, Thalassia, etc.). Tethys, Suppl. 5, 25-36.
- LEDOYER, M., 1973b. Etude des amphipodes gammariens des biotopes de substrats sableux et sablo-vaseux de la region de Tulear et de Nosy-Be (Madagascar). Tethys, Suppl. 5, 51-94.
- LEDOYER, M., 1973c. Etude systematique des amphipodes recueillis a Tulear (Madagascar) lors d'une petite serie de peches a la lumière. Comparaison avec les phenomenes observes en Mediterranee. Tethys, Suppl. 5, 37-50.
- LEDOYER, M., 1973d. Amphipodes gammariens nouveaux ou peu connus de la region de Marseille. Tethys 4(1972), 881-898.

- LEDOYER, M., 1976. <u>Megaluropus monasteriensis</u> (Crustacea, Amphipoda. Gammaridae) espece nouvelle de Mediterranee comparee a <u>M. agilis</u> <u>massiliensis</u> n.ssp. et a <u>M. agilis</u> Hoek. Bull Mus. natn. Hist. nat. Paris (3)336 (1975), 1305-1316.
- LEDOYER, M., 1977. Contribution a l'étude de l'écologie de la faune vagile profonde de la Mediterranee Nord Occidentale. 1. Les gammariens (Crustacea, Amphipoda). Boll. Mus. civ. Stor. nat. Verona 4, 321-421.
- LEDOYER, M., 1978. Amphipodes gammariens (Crustacea) des biotopes cavitaires organogenes recifaux de l'Ile Maurice (Ocean Indien). Mauritius Inst. Bull. 8, 197-332.
- LINCOLN, R.J. & D.E. HURLEY, 1974. <u>Scutocyamus parvus</u>, a new genus and species of whale louse (Amphipoda, Cyamidae) ectoparasitic on the North Atlantic white-beaked dolphin. Bull. Br. Mus. nat. Hist. (2001.) 27, 59-64.
- LOWRY, J.K., 1972. Taxonomy and distribution of <u>Microprotopus</u> along the east coast of the United States (Amphipoda, Isaeidae). Crustaceana, Suppl. 3, 277-286.
- LOWRY, J.K., 1974. A new species of the ampnipod <u>Biancolina</u> from the Sargasso Sea. Trans. Am. microsc. Soc. <u>93</u>, 71-78.
- LOWRY, J.K., 1976. <u>Neoxenodice cryophile</u>, a new podocerid from the Ross Sea, Antarctica (Amphipoda). Crustaceana <u>30</u>, 98-104.
- MAREN, M.L. van, 1973. A new <u>Echinogammarus</u> of the <u>pungens</u>-group, <u>Echinogammarus pinksteri</u> nov. sp. from central Italy (Crustacea, Amphipoda). Bull. zool. Mus. Univ. Amsterdam 3, 103-108.
- MARTIN, D.W., 1977. Survey of the family Caprellidae (Crustacea, Amphipoda) from selected sites along the northern California coast. Bull. sth Calif. Acad. Sci. 76, 146-167.
- MATEUS, A., 1974. Description d'une nouvelle espece d'<u>Echinogammarus</u> (Amphipoda, Gammaridae) du Portugal. Publcoes Inst. Zool. Dr. Augusto Nobre 123, 1-32.
- MATEUS, A. & E. de O. MATEUS, 1972. Une nouvelle espece d'<u>Hadzia</u> (Crustacea Amphipoda) du Portugal. Publcoes Inst. Zool. Dr. Augusto Nobre <u>117</u>, 9-30.
- MATEUS, E. de O. & O. AFONSO, 1974. Etude d'une collection d'Amphipoda des Acores avec la description d'une nouvelle espece. Publicoes Inst. Zool. Dr. Augusto Nobre 126, 9-39.
- McCAIN, J.C., 1971. A new deep-sea species of Epimeria from Oregon. Crustaceana 20, 159-166.
- McCAIN, J.C. & W. SCOTT GRAY, 1971. Antarctic and subantarctic Caprellidae (Crustacea, Amphipoda). Antarct. Res. Ser. Washington 17, 111-139.

- McKINNEY, L.D. & J.L. BARNARD, 1977. A new marine genus and species of the <u>Nuuanu</u>-group (Crustacea, Amphipoda) from the Yucatan Peninsula. Proc. biol. Soc. Wash. 90, 161-171.
- MILLS, E.L., 1971. Deep-sea Amphipoda from the western North Atlantic Ocean. The family Ampeliscidae. Limnol. Oceanogr. 16, 357-386.
- MORDUKHAI-BOLTOVSKOI, F.D. & S.M. LJAKCHOV, 1972. (A new amphipod species of the genus <u>Stenogammerus</u> (Gammaridae) in the Volga river basin.) Zool. Zh. 51, 21-27. (In Russian.)
- MORINO, H., 1972. Studies on the Talitridae (Amphipoda, Crustacea) in Japan. 1. Taxonomy of <u>Talorchestia</u> and <u>Orchestoidea</u>. Publs Seto mar. biol. Lab. <u>21</u>, 43-65.
- MYERS, A.A., 1972. Taxonomic studies on the genus <u>Grandidierella</u>
 Coutiere (Crustacea, Amphipoda) III. The Malagasy species. Bull. Mus.
 nath Hist. nat. Paris (3)64, 789-796.
- MYERS, A.A., 1973a. <u>Neomegamphopus kunduchii</u> sp. nov. (Crust: Amphipoda) from East Africa, with a discussion of gnathopodal dominance in isaeid amphipods. Zool. J. Linn. Soc. <u>52</u>, 263-267.
- MYERS, A.A., 1973b. A new species of amphipod (<u>Microdeutopus obtusatus</u> sp. nov.) from the Aegean Sea. Memorie Mus. civ. Stor. nat. Verona 20(1972), 303-321.
- MYER5, A.A., 1974a. A new species of commensal amphipod from East Africa. Crustaceana 26, 33-36.
- MYERS, A.A., 1974b. Studies on the genus <u>Lembos</u> Bate. 1.

 Mediterranean endemics: <u>L. spiniventris</u> (Della Valle), <u>L. angularis</u>

 Ledoyer, <u>L. viquieri</u> Chevreux, <u>L. rubromaculatus</u> Ledoyer, <u>L. viduarum</u>

 sp. nov. Boll. Mus. civ. Stor. nat. Verona <u>1</u>, 11-52.
- MYERS, A.A., 1975a. Studies on the genus <u>Lembos</u> Bate. 2. Indo-Pacific species: <u>L. quadrimanus</u> Sivaprakasam, <u>L. punctatus</u> sp. nov., <u>L. parahastatus</u> sp. nov., <u>L. palmatus</u> (Ledoyer). Boll. Mus. civ. Stor. nat. Verona <u>1</u>(1974), 359-385.
- MYERS, A.A., 1975b. Studies on the genus <u>Lembos</u> Bate. 3. Indo-Pacific species: <u>L. kidali</u> sp. nov., <u>L. ruffoi</u> sp. nov., <u>L. excavatus</u> sp. nov., <u>L. leptocheirus</u> Walker. Boll. Mus. civ. Stor. nat. Verona 2, 13-50.
- MYERS, A.A., 1976a. The genera <u>Megamphopus</u> Norman and <u>Microprotopus</u>
 Norman (Amphipoda, Gammaridea) in the Mediterranean. Bull. Mus. natn.
 Hist. nat. Paris 250, 121-132.
- MYERS, A.A., 1976b. Studies on the genus <u>Lembos</u> Bate. 4. <u>L. megacheir</u> (Sars), <u>L. borealia</u> sp. nov., <u>L. hirautipes</u> Stebbing, <u>L. karamani</u> sp. nov., <u>L. setimerus</u> sp. nov. Boll. Mus. civ. Stor. nat. Verona, <u>3</u>, 445-477.

- MYERS, A.A., 1977a. Studies on the genus <u>Lembos</u> Bate. 5. Atlantic species: <u>L. smithi</u> (Holmes), <u>L. brunneomaculatus</u> sp. nov., <u>L. minimus</u> sp. nov., <u>L. unifasciatus</u> sp. nov. Boll. Mus. civ. Stor. nat. Verona 4, 95-124.
- MYERS, A.A., 1977b. Studies on the genus <u>Lembos</u> Bate. 6. Atlantic species, <u>L. dentischium</u> sp. nov., <u>L. kunkelae</u> sp. nov., <u>L. rectangulatus</u> sp. nov., <u>L. unicornis</u> Bynum & Fox. Boll. Mus. civ. Stor. nat. Verona 4, 125-154.
- MYERS, A.A., 1977c. Two new species of the amphipod genus <u>Microdeutopus</u> Costa from the Mediterranean Sea. Boll. Mus. civ. Stor. nat. Verona <u>4</u>, 475-478.
- ORTIZ, M., 1976a. (A new genus and new species of amphipods from Cuban waters (Amphipoda, Gammaridae, Ampithoidae)). Ciencias, La Habana (Invest. mar.) (8)27, 3-12. (In Spanish.)
- ORTIZ, M., 1976b. (A new amphipod from Cuban waters). Ciencias, La Habana (Invest. mar.) (8)25, 21-35. (In Spanish.)
- ORTIZ, M., 1976c. (A new amphipod (Amphipoda, Gammaridea, Gammaridae), collected from the stomach content of the Yellow Grunt <u>Haemulon sciurus</u> in Cuban waters. Ciencias, La Habana (Invest. mar.) (8)27, 13-20. (In Spanish.)
- ORTIZ, M., 1976d. (A new species of wood-boring amphipod (Amphipoda, Gammaridea, Cheluridae) from Cuba). Ciencias, La Habana (Invest. mar.) (8)27, 21-26. (In Spanish.)
- PINKSTER, S., 1971. Members of the <u>Gammarus pulex</u>-group from North Africa and Spain, with description of a new species from Morocco. Bull. zool. Mus. Univ. Amsterdam 2, 45-52.
- PINKSTER, S., 1972. On members of the <u>Gammarus pulex</u>-group (Crustacea, Amphipoda) from western Europe. Bijdr. Dierk. <u>42</u>, 164-191.
- PINKSTER, S., 1973. The <u>Echinogammarus berilloni</u>-group, a number of predominantly Iberian amphipod species (Crustacea). Bijdr. Dierk. 43, 1-38.
- PINKSTER, S. & A. GOEDMAKERS, 1975. On two freshwater species of the genus <u>Gammarus</u> from North America (Crustacea, Amphipoda). Beaufortia 23, 93-100.
- PINKSTER, S. & J.H. STOCK, 1972. Members of the <u>Echinogammarus simoni</u>group and the genus <u>Eulimnogammarus</u> (Crustacea, Amphipoda) from the Iberian Peninsula and North Africa, with description of a new species. Bull. zool. Mus. Univ. Amsterdam <u>2</u>, 85-115.
- PJATAKOVA, G.M., 1962a. Novye formy gammarid Kaspijkogo morja. (New forms of gammarids from the Caspian Sea). Dokl. Akad. Nauk azerb. SSR 18(6), 47-51.

- PJATAKOVA, G.M., 1962b. <u>Niphargoides derzhavini</u> Novyj vid amfipod Kaspijkogo morja. (<u>N. derzhavini</u>, a new amphipod species from the Caspian Sea). Dokl. Akad. Nauk azerb. SSR 18(11), 71-73.
- QUITETE, J.M., Penteado de Aranjo, 1975. (Orthoprotella melloi, a new species of caprellid (Crustacea: Amphipoda) of the Brazilian coast). Univ. Fed. Rio de Janeiro, Inst. Biol., Dept. Zool. 24, 1-9. (In Spanish.)
- RABINDRANATH, P., 1971a. Two new gammaridean amphipods from the Gulf of Mannar, S. India. Hydrobiologia 37, 152-172.
- RABINDRANATH, P., 1971b. A new liljeborgiid amphipod from Kerala, India. Biol. Bull. mar. biol. Lab, Woods Hole 140, 482-488.
- RABINDRANATH, P., 1971c. Haustoriid amphipods from India. Hydrobiologia 38, 521-539.
- RABINDRANATH, P., 1971d. On a collection of Isaeidae (Crustacea: Amphipoda) from the southern Indian Ocean. Bijdr. Dierk. 41, 67-93.
- RABINDRANATH, P., 1972a. Marine Gammaridea (Crustacea: Amphipoda) from the Indian region: family Ampithoidae. Mar. Biol. 14, 161-178.
- RABINDRANATH, P., 1972b. Marine Gammaridea (Crustacea: Amphipoda) from the Indian region: family Amphilochidae. Hydrobiologia 39, 509-526.
- RABINDRANATH, P., 1972c. Studies on gammaridean Amphipoda (Crustacea) from India. Bull. zool. Mus. Univ. Amsterdam 2, 155-172.
- RUFFO, S., 1972. (Studies on amphipod crustaceans. 69. A new genus of Lysianassidae from the Gulf of Naples and observations of Lysianella dellavaller Stebbing (Crustacea, Amphipoda). Memorie Nus. civ. Stor. nat. Verona 19 (1971), 103-112. (In Italian.)
- RUFFO, S., 1974a. (Studies on amphipod crustaceans. 75. The genus Synurella Wrzesn. in Anatolia, description of a new species, and a reevaluation of Lyurella hyrcana Derzh. (Crustacea Amphipoda Gammaridae)). Memorie Mus. civ. Stor. nat. Verona 20 (1972), 389-404. (In Italian.)
- RUFFO, S., 1974b. (Studies on Crustacea Amphipods. 77. New interstitial amphipods from the coast of South Africa). Atti Ist. veneto Sci. 132, 399-419. (In Italian.)
- RUFFO, S., 1975. (Studies on Crustacea Amphipoda. 78. New lysianessids and stegocephalids from the Mediterranean (Crustacea, Amphipoda)). Boll. Mus. civ. Stor. nat. Verona 1 (1974), 439-453. (In Italian.)
- RUFFO, S. & U. SCHIECKE, 1976. (A new <u>Bogidiella</u> from Creta (Amphipoda, Gammaridae), <u>Bogidiella minotaurus</u> n.sp.). Boll. Mus. civ. Stor. nat. Verona 3, 147-155. (In Italian.)

- RUFFO, S. & U. SCHIECKE, 1977. (The Mediterranean species of the genus Lepidipecreum Bate & Westwood (Amphipoda, Lysianassidae)). Boll. Mus. civ. Stor. nat. Verona 4, 429-447. (In Italian, with German summary).
- RUFFO, S. & G. VESENTINI PAIOTTA, 1972. Etudes hydrobiologiques en Nouvelle Caledonie (Mission 1965 du premier institut de Zoologie de l'Universite de Vienne) (Amphipodes de la Nouvelle Caledonie). Cah. Off. Rech. Sci. Tech. Outre-Mer (Ser. Hydrobiologie) 6, 247-260.
- RUFFO, S. & A. VIGNA-TAGLIANTI, 1974. Three new subterranean <u>Bogidiella</u> from Mexico and Guatemala (Crustacea, Amphipoda). Quaderni Accad. Naz. Lincei <u>171</u> (1973), 105-133.
- RUFFO, S. & A. VIGNA-TAGLIANTI, 1977. (Second contribution to the knowledge of the genus <u>Bogidiella</u> in Mexico and Guatemala (Crustacea, Amphipoda, Gammaridae)). Quaderni Accad. Naz. Lincei <u>171</u>(3), 125-172.
- SCHIECKE, U., 1976a. Eine marine <u>Ingolfiella</u> (Amphipoda: Ingolfiellidae) im Golf von Neapel: <u>Ingolfiella ischittana</u> n.sp. Boll. Mus. civ. Stor. nat. Verona 3, 413-420.
- SCHIECKE, U., 1976b. Eine zweite Art der Gattung Amphithopsis Boeck (Amphipoda): A. depressa n.sp. aus dem Golf von Neapel (Italien). Boll. Mus. civ. Stor. nat. Verona 3, 421-434.
- SCHIECKE, E., 1976c. Xenodice macrophthalma n.sp. (Amphipoda: Podoceridae) from the Bay of Naples, Italy with correction of the genus diagnosis. Boll. Mus. civ. Stor. nat. Verona 3, 435-443.
- SCHIECKE, U., 1977. Zwei neue Vertreter der Cyproideinae (Amphipoda: Amphilochidae) aus dem Mittelmeer: Pseudopeltocoxa gibbosa n.g. n.sp. und Peltocoxa mediterranea n.sp. Boll. Mus. civ. Stor. nat. Verona 4, 525-542.
- SHULENBERGER, E. & J.L. BARNARD, 1976. Amphipods from an abyssal trap set in the North Pacific gyre. Crustaceana 31, 241-258.
- SILVA BRUM, I.N. da, 1975. (Spelaeogammarus bahiensis n.gen., n. sp. of cavernicolous amphipod from Brazil (Amphipoda, Bogidiellidae)). Atas Soc. biol. Rio de J. 17, 125-128. (In Portuguese).
- SIVAPRAKASAM, T.E., 1971a. Amphipods of the family Ampithoidae from the Madras Coast. J. mar. biol. Ass. India 12 (1970), 54-80.
- SIVAPRAKASAM, T.E., 1971b. Amphipods of the genus <u>Lembos</u> Bate from the south-east coast of India. J. mar. biol. Ass. India <u>12</u> (1970), 81-92.
- SIVAPRAKASAM, T.E., 1971c. Description of <a href="https://dx.ncbi.new.ncbi.new.ncbi.new.ncbi.new.ncbi.new.ncbi.new.ncbi.new.new.ncbi.new.
- SIVAPRAKASAM, T.E., 1972. A new species of <u>Idunella</u> Sars (Amphipoda, Liljeborgiidae) from India. Crustaceana, Suppl. 3, 308-312.

- SKET, B., 1971. Vier neue aberrante <u>Niphargus</u> Arten (Amphipoda, Gammaridae) und einige Bemerkungen zur Taxonomie der <u>Niphargu</u> ahnlichen Gruppen. Raspr. slov. Akad. Znan. Umet. Ljubljana <u>14</u>, 1-25.
- SKET, B., 1972. Die <u>Nipharqus jovanivici</u>-Gruppe (Amphipoda, Gammaridae) in Jugoslawien und NO-Italien, taxonomisch, zoogeografisch und phylogenetisch betrachtet. Razprave Diss., Ljubljana <u>15</u>, 3-45.
- STEVENSON, M.M. & A.E. PEDEN, 1973. Description and ecology of <u>Hyalella</u> texana n.sp. (Crustacea: Amphipoda) from the Edwards Plateau of Texas. Am. Midl. Nat. 89, 426-436.
- STOCK, J.H. 1971. A revision of the <u>Sarathrogammarus</u>-group (Crustacea Amphipoda). Bijdr. Dierk. <u>41</u>, 94-129. (See also Bijdr. Dierk. <u>42</u>, p.91 where the genus name is corrected to <u>Sarothrogammarus</u>).
- STOCK, J.H., 1974a. The systematics of certain Ponto-Caspian Gammaridae (Crustacea, Amphipoda). Mitt. Ham. zool. Mus. Inst. 70, 79-95.
- STOCK, J.H., 1974b. <u>Echinogammarus afer</u> sp. nov., un nouvel amphipode Gammaride d'Afrique du Nord. Boll. Mus. civ. Stor. nat. Verona <u>1</u>, 1-10.
- STOCK, J.H., 1976. A new member of the crustacean suborder Ingolfiellidea from Bonaire. Stud. Fauna Curacao 50, 56-75.
- STOCK, J.H., 1977a. The taxonomy and zoogeography of the hadziid Amphipode with emphasis on the West Indian taxa. Stud. Fauna Curacao 55, 1-130.
- STOCK, J.H., 1977b. The zoogeography of the crustacean suborder Ingolfiellidea with description of new West Indian Taxa. Stud. Fauna Curacao 55, 131-146.
- STOCK, J.H., 1978. <u>Bogidiella martini</u>, un nouvel amphipode souterrain de l'Isle Saint-Martin (Antilles) et la zoogeographie des Bogidiellidae. Int. J. Speleol. 9, 103-113.
- STOCK, J.H. & T. GLEDHILL, 1977. The <u>Niphargus kochianus</u>-group in north-western Europe. Crustaceana Suppl. 4, 212-243.
- THURSTON, M.H., 1972. Two new species of <u>Orchomene</u> Boeck (Crustacea, Amphipoda) from the Falkland Islands, S. Georgia and Graham Land. Bull. Br. Antarct. Surv. 30, 51-63.
- THURSTON, M.H., 1973. A new species of <u>Paramelita</u> (Crustacea, Amphipoda) from South Africa. Ann. S. Afr. Mus. 62, 159-168.
- THURSTON, M.H., 1974a. The Crustacea Amphipoda of Signy Island, South Orkney Islands. Scient. Rep. Br. Antarct. Surv. 71 (1972), 1-133.
- THURSTON, M.H., 1974b. Crustacea Amphipoda from Graham Land and the Scotia Arc, collected by Operation Tabarin and the Falkland Islands Dependencies Survey, 1944-1959. Scient. Rep. Br. Antarct. Surv. 85, 1-89.

- THURSTON, M.H., 1976. New pelagic amphipods (Crustacea: Amphipoda) collected in the Sond Cruise. J. mar. biol. Ass. U.K. 56, 143-159.
- TZVETKOVA, N.L., 1972. (Taxonomy of the genus <u>Gammarus</u> Fabr. with the description of some new species of gammarids (Amphilipoda, Gammaridea) from the north-western part of the Pacific Ocean.) Trudy zool. Inst. Leningr. 52, 201-222. (In Russian.)
- TZVETKOVA, N.L., 1975. (A new species of Pleustidae (Amphipoda), a commensal of sea urchins, from the Commander Islanda). Zool. Zh. <u>54</u>, 121-124. (In Russian, with English summary.)
- TZVETKOVA, N.L., 1976. (New species of Dexaminidae, Phliantidae and Biancolinidae, warm-water elements of the Possjet Bay fauna (Sea of Japan)). Zool. Zh. 55, 684-695. (In Russian.)
- UENO, M., 1971a. The fauna of the insular lava caves in West Japan. 7.
 Subterranean Amphipoda. Bull. natn Sci. Mus. Tokoyo 14, 161-170.
- UENO, M., 1971b. Subterranean Amphipoda from the Islands of Tsushima. Bull. natn Sci. Mus. Tokyo 14, 195-199.
- VASILENKO, S.V., 1972a. (New species of the genus <u>Caprella</u> (Amphipoda, Caprellidae) from the sea of Okhotsk and the north-west Pacific). Trudy zool. Inst. Leningr. <u>52</u>, 223-236. (In Russian.)
- VASILENKO, S.V., 1972b. (A new family, new genus and species of caprellids (Amphipoda, Caprellidea) from the North Pacific). Trudy zool. Inst. 52, 237-250. (In Russian.)
- VASILENKO, S.V., 1974. (Caprellidea (skeleton shrimps) in Russian and neighbouring seas. Order Amphipoda, families Paracercopidae, Phtisicidae, Caprellidae). Opred. Faune SSSR 107, 1-288. (In Russian.)
- VIGNA-TAGLIANTI, A., 1972. (A new Gammaridae of subterranean waters:

 <u>Ilvanella inexpectata</u> n.gen., n.sp. of the island of Elba). Memorie
 Mus. civ. Stor. nat. Verona 19 (1971), 39-56. (In Italian.)
- VINOGRADOV, M.E., 1976. (New species of Hyperiida (Amphipoda, Hyperiidae) from the Tropical Pacific). Trudy Inst. Okeanol. 105, 130-134. (In Russian, with English minisummary.)
- WARD, J.V., 1977. First records of subterranean amphipods from Colorado with descriptions of 3 new species of <u>Stygobromus</u> (Crangonyctidae). Trans. Am. microsc. Soc. 96, 452-466.
- WATLING, L., 1975. <u>Parametopella iquilinus</u>, new species from Delaware oyster beds (Amphipoda: Stenothoidae). Proc. biol. Soc. Wash. 88, 429-432.
- WATLING, L. & D. MAURER, 1973. A new euryhaline species of <u>Parapleustes</u> (Amphipoda) from the east coast of North America. Proc. biol. Soc. Wash. <u>86</u>, 1-8.
- ZHANG WEI-QUAN, 1974. (A new species of the genus <u>Corophium</u> from the southern coast of Shantung peninsula, North China (<u>C. sinense</u> sp.n.). Studia mar. sin. 1974 (9), 139-? (In Chinese, with English summary.)

NEW AND REVISED TAXA IN AMPHIPOD NESLETTER 1 - 10. AN INDEX TO THE BIBLIOGRAPHY. III. SYSTEMATIC INDEX OF NEW SPECIES, INCLUDING SUB-SPECIES NEWLY RAISED TO SPECIFIC RANK.

George I. Crawford & Wim Vader

Introduction with associated bibliography

- 1. New species, and subspecies newly raised to specific rank, are listed in alphabetical order of specific name in Part II of this index. These same species are here arranged in systematic order under genera, families and higher taxa. Subspecies newly raised to specific rank are entered in brackets; they will be found in a separate section of Part II. Subspecies, as such, are included in Part II but not in Part III.
- 2. The arrangement of families and higher taxa, apart from the Hyperiidea, follows the scheme in Table I on pp. 378, 379 of Bousfield 1978. (This scheme, though controversial, is the only currently available framework for the Amphipoda as a whole apart from the Hyperiidea, where we follow Bowman and Gruner 1973.)
- 3. Genera are assigned to families as below:
- (a) Bousfield 1978 is followed for Urothoidae (pp. 356, 357) and Pontoporeiidae (p.359).
- (b) Bousfield 1977 is followed for the families contained in superfamilies Gammaroidea (pp. 290-296), Melitoidea (pp. 296-300), Crangonyctoidea (pp. 300-303), Niphargoidea (pp. 303-305), Bogidielloidea (pp. 305-307), Melphidippoidea (pp. 307-308), and the synopid group of families.
- (c) Part I of this index (Crawford and Vader 1980) is followed for general there listed as new, unless they are otherwise assigned under (a) or (b) above.
- (d) Barnard 1969 is followed for genera not assigned under (a), (b) or (c) above.
- 4. Within the family, genera are arranged in alphabetical order.
- 5. Genera described as new in AN 1-10, and so recorded in Crawford and Vader 1980, are marked with an asterisk.
- 6. Species are listed alphabetically under the genus to which they were assigned in the original papers abstracted in AN 1-10 (see part II of this index for bibliography and detailed information on each species).
- BARNARD, J.L., 1969. The Families and Genera of Marine Gammaridean Amphipoda. Bull. U.S. natn. Mus. 271.
- BOUSFIELD, E.L., 1977. A new look at the systematics of Gammaroidean Amphipods of the world. Crustaceana, Suppl. 4, 282-316.
- BOUSFIELD, E.L., 1978. A Revised classification and phylogeny of amphipod crustaceans. Trans. R. Soc. Can. ser. 4, 16, 342-390.
- BOWMAN, Th.E. & H.E. GRUNER, 1973. The families and genera of Hyperiidea (Crustacea: Amphipoda). Smithson. Contr. Zool. 146, 1-64.
- CRAWFORD, G.I. & W. VADER, 1980. New and revised amphipod taxa in Amphipod Newsletter 1-10. An index to the bibliography. I. Genera and higher taxa issued with Amphipod Newsletter 11.

List of species in systematic order

SUB-ORDER GAMMARIDEA

PHOXOCEPHALOIDEA

PHOXOCEPHALIDAE

* Birubius Harpiniopsis Heterophoxus Mandibulophoxus

Metaphoxus

Paraphoxus

Waitangi

panamunus

percellaris, triplex cephalodens, opus

latipes

brevidactylus, littoralis, longicarpus,

platyrostris

chelatus, rakiura, spinibasus, vigitegus,

waipiro

brevirostris

UROTHOIDAE

Cunicus Urothoe

profundus carda, coxalis, cuspis, elizae, gelasina, platydactyla, platypoda, tumorosa, wellingtonensis

LYSIANASSOIDEA

LYSIANASSIDAE

Acontiostoma Adeliella Anonyx Aristias Arugella Cheirimedon Crybelocephalus Ensayara Euonyx Hippomedon Hippomedon (?) Izinkala Kerquelenia

Lepidepecreella Lepidepecreoides Lepidipecreum Menigrates Onesimoides Orchomene

Orchomenella Pachychelium Paracallisoma Paralicella ?Paralysianopsis Parawaldeckia Podoprionella Pseudonesimoides

acutibasalis olivieri comecrudus madagascarensis

indica similıs birsteini

angustipes, carpinei

scutatus

rotundipleura, wecomus macrocephalus, tracatrix

fihla

adeliensis, reducta

tridactyla nubifer

crypticum, nudum, subclypeatum, twalae

maslovi

mediterraneus

arnaudi, gerulicornis, hureaui, massiliensis, morbihanensis, schellenbergi, tabarini, ultima

mannarensis mediterraneum platepistomum caperesca mauritianus

dilkera, stephenseni, yamba

fissicaudata cornutilabris * Rhinolabia Socarnes Tryphosella Uristes

Valettiella

parthenopeia dissimulantia, septimus marri, orana sulcus costellana

PONTOPOREIOIDEA

PONTOPOREIIDAE

Amphiporeia Bathyporeia gigantea leucopthalma, parkeri, phaiophthalma

HAUSTORIIDAE

Eohaustorius

brevicuspis, estuarius, sawyeri

GAMMAROIDEA

ACANTHOGAMMARIDAE

Asprogammarus

Carinurus

Homocerisca

Kozhovia

bathyphilus, gulekani, levis, macropsis, perplexus, puer, pulchelliformis amentatus, bazikalovae, bifrons, (micropthalmus), (obscurus) tenuicauda

mirabilis

ANISOGAMMARIDAE

Anisogammarus

aestuariorum

GAMMARIDAE

Chaetogammarus Echinogammarus

contiquus adipatus, afer, berytensis, bolo, (calvus), cannubensis, catacumbae, echinosetosus, feminatus, longisetosus, margalefi, neridionalis, obtusidens, palmyrensis, pinksteri, rashiini, roco, echinosetosus sicilianus, tabu, tarragonensis, tripoliensis, villaticus

Eulimnogammarus Gammarus

minimus, simpliciformis abscisus, acalceolatus, accolae, (agrarius), arduus, birsteini, breviramus, cantor, crenulatus, (dulensis), effultus, frater, goedmakersae, hyalelloides, (ibericus), inberbus, italicus, jenneri, kamschaticus, laborifer, laticoxalia, macedonicus, microps, mladeni, monapeliensis, obnixus, osellai, pavo, pseudosyriacus, (rambouseki),

rouxi, stankokaramani, (stojicevici),

uludagi, varaoviensia

Ilvanella inexpectata grandimanus, mirus

Macropereiopus

Neogammarus

* Rhipidogammarus Sarothrogammarus adriaticus, nudus

karamani trichiatus

knipowitschi

brachyura

turcarum

PONTOGAMMARIDAE

Akerogammarus

Gmelina

Niphargoides

* Obesogammarus

Pontogammarus Stenogammarus paradoxus

la subani danawan

dzjubani, kereuschi (alt. spellings: carausui,

karauschi, kereushui)

boltovskoyı, derzhavini

TYPHLOGAMMARIDAE

Typhlogammarus

algor

CRANGONYCTOIDEA

PARAMELITIDAE

Paramelita

barnardi

CRANGONYCTIDAE

Crangonyx Palaeogammarus

Stygobromus

setiferus

danicus abditus, ackerleyi, arizonensis, baroodyi,

barryi, biggersi, borealis, carolinensis,

coloradensis, culveri, cumberlandus, dicksoni, elliotti, estesi, fecundus, fergusoni, finleyi,

franzi, gradyı, grahamı, grandıs, haraı,

hoffmani, holsingeri, inexpectatus, interitus,

kenkı, lacıcolus, leensis, mackenziei,

minutus, montanensis, mysticus, nanus, obrutus, obscurus, oregonensis, pennaki, phreaticus, pollostus, pseudospinosus, puteanus, redactus,

sheldoni, sierrensis, sparsus, stegerorum,

tahoensis, tritus, wengerorum

Synurella

osellai

PSEUDOCRANGONYX-STERNOPHYSINX FAMILY GROUP

* Sternophysinx

filaris, transvaalensis

Tabatzius

copillius

NIPHARGOIDEA

NIPHARGIDAE

Niphargus

aberrans, adbiptus, altagahizi, alutensis, ambulator, asper, brevirostris, canui,

deelemanae, duplus, inclinatus, microcerberus, nadarini, (pachypus), pavecevici, pectinicauda,

rostratus, ruffoi, stankoi, talikadzei,

transitivus

BOGIDIELLOIDEA

BOGIDIELLIDAE

Bogidiella

araganoi, balearica, (dalmatina), (glacialis), holsingeri, martini, michaelae, minotaurus, niphargoides, orchestipes, pasquinii, sbordonii, sootai, vomeroi

Bollegidia

capensis

SPELAEOGAMMARUS FAMILY GROUP

Spelaeogammarus

bahiensis

EUSIROIDEA

EUSIRIDAE

Antarctogeneia Atyloella Dolobrotus Eusirus Paramoera

> Paramoerella Pontogeneiella Rhachotropis

Ronconoides Schraderia

macrodactyla

moke mardeni tridentatus

hurleyi, husvikensis, lokowai, paakai, rangatira, relicta, rua, tsushimana interstitialis

maneroo

caeca, glabra, inermis

brevicornis

acuticauda, barnardi, dubia

PONTOGENEIIDAE

Gondogeneia Pontogeneia Tethygeneia

rotorua, spinicoxa barnardi, redfearni

elanora, nalgo, tulkara, waminda

CALLIOPIIDAE

Amphithopsis Atylopsis Leptamphopus Oradarea Paracalliope

depressa orthodactylus, signiensis massiliensis acuminata, ocellata, rossi, unidentata karitane, larai, novaecaledoniae

PARAMPHITHOIDAE

Epimeria Paramphithoe Subepimeria

concordia, cora, yaquinae concinna, monocera, paraparadoxa geodes1ae

OEDICEROTOIDEA

OEDICEROTIDAE

Bathymedon Bathyporeiapus * Finoculodes

* Monoculodopsis
* Patuki

Perioculodes

Synchelidium

Westwoodilla

vulpeculus ruffoi omnifera longimana breviuropus

acuticoxa, pallidus

americanum, bulytschevae, gurjanovae,

micropleon, miraculum

manta

LEUCOTHOOIDEA

PLEUSTIDAE

Parapleustes

* Pleustoides
* Pleustomesus

* Pleustostenus Pleusymtes aestuarius, barnardi, echinoicus

carinatus japanicoides displosus coquilla

AMPHILOCHIDAE

Amphilochella Amphilochoides Amphilochus

* * Austropheonoides

* Bolttsia Gitana

Gitanogeiton Gitanopsis

* * Moolapheonoides

* Narapheonoides Peltocoxa

* Pseudopeltocoxa

* Unguja

+ * Unyapheonoides

laticarpa

pseudolongimanus opunake, planierensis mallee, mundoe, takkure

minuta longicarpus tropica

desmondi, kupe, mariae, paguri, subpusilla

coocoo, kadee, poontee

mullaya mediterranea gibbosa yaya dabber

(+ sub-fam. Cyproidinae)

LEUCOTHOIDAE

Leucothoe

Leucothoides
* Leucothopsis

acutiloba, alcyone, assimilis, boolpooli, crenatipalma, dentata, goowera, oboa, occulta, predenticulata, serraticarpa, tarte torrida, yarrega

angusticoxa

ANAMIXIDAE

Anamixis Paranamixis grossimana excavatus

MAXILLIPIIDAE

* Maxillipius

rectitelson

COLOMASTIGIDAE

Colomastix

* Yulamara

halichondriae, janiceae, keiskama

improvisa, wallangar

NIHOTUNGIDAE

* Nihotunga

iluka, noa

STENOTHOIDAE

+ * Antatelson

* * Ausatelson

Chucullba

* Garatelson

Mesoproboloides

Parametopa Parametopella

Proboloides

* Raumahara

Stenothoe

* Wallametopa

antennatum, rostratum

kolle, ule

alla, warea

warroo

excavata, apinosus

grandimana inquilinus

holmesi

dertoo, noko, rongo

allinga, eduardi, elachista, georgiana, moe,

nonedia, quabara, waka

cabon

(+ sub-fam. Thaumatelsoninae)

TALITROIDEA

HYALIDAE

Hyale Parhyale kandari, loorea, wilari, yake

eburnea

HYALELLIDAE

Allorchestes Hyalella bellabella montezumae, texana

TALITRIDAE

Brevitalitrus
Orchestia

Parorchestia

dyaulanus, stephenseni, wolffi

anoquesana, mateusi, samoana, starmuehlneri,

vaggala

gowerensis, macrochela, similis

* Spelaeorchestia koloana

Talorchestia nipponensis

CEINIDAE

Ceina

Taihape
Waitomo

wannape karori manene

DOGIELINOTIDAE

Dogielinotus Haustorioides cimbaluki japonicus

EOPHLIANTIDAE

Biancolina Ceinina Cylindryllioidea brassicacephala, obtusata latipes kaikoura

(?) Wandelia

PHLIANTIDAE

Gabophlias Heterophlias Iphiplateia Quasimodia olono seticoxa orientalis enna

wairarapa

STEGOCEPHALOIDEA

STEGOCEPHALIDAE

Andaniexis Andaniotes

* Stegophippsiella

mimonectes wallaroo pacis

rusanovae

ACANTHONOTOZOMATIDAE

Acanthonotozoma

* Coboldus

Dikwa
 Gnathiphimedia
 Iphimedia

Nodotergum Odius Panoploea

* Paracanthonotosoma Parapanoploea ? Pariphimediella nitior acrania barnardi, fuchsi, incerta

compacta, grossimana, jugoslavica bicarinatum cassigerus

stegosaura trispinosum longirostris imparidentata

OCHLESIDAE

Ochlesia

eridunda, meraldi

SYNOPIOIDEA

SYNOPIIDAE

Bruzelia
Pruzelia
Latacunga
Syrrhoe
Syrrhoites

Tiron

guayacura, pericu, poton popolocan comanita, latacunga angulipes, oluta, serrima columbiae, cu, pantasma tropakis

PARDALISCOIDEA

PARDALISCIDAE

? Halice ulcisor Halicella halona Halicoides discoveryi buchi Nicippe ? Pardaliscella yaquina walkerı Pardisynopia Pardisynopia 1010 Princaxelia magna

LILJEBORGIOIDEA

LILJEBORGIIDAE

Idunella Liljeborgia Listriella demersalis, janisae, pauli, pirata, serra eurycradus, kerguelenensis, palmata, psaltrica lindae, saldanha, similis, sinuosa

SEBIDAE

5eba

aloe, hirsuta, stoningtonensis

SALENTINELLIDAE

* Parasalentinella

rouchi

DEXAMINOIDEA

ATYLIDAE

Atylus

massiliensis, processifer, taupo

LEPECHINELLIDAE

Lepechinella

auca, cachi, cura, eupraxiella, huaco, manco, occlo, raua, (turpis), uchu, vitrea

DEXAMINIDAE

* Delkarlye Dexaminella Guernea

enamalla rotundicoxa endota, gelane, melape, rhomba, tumulosa,

unchalka timaru

? Guernea Paradexamine

alkoomie, churinga, dandaloo, echuca, fraudatrix, goomai, houtete, indentata, lancoura, linga, marlie, muriwai, narluke,

otichi, quarallia, ronggi, thadalee, windarra

Syndexamine

mullauna, nottoo, runde, wane, wunda

AMPELISCOIDEA

AMPELISCIDAE

Ampelisca

acris, anophthalma, antennata, anversensis, calypsonis, chinensis, dalmatina, dentitelson, honmungensis, jaffaensis, ledoyeri, maia,

massiliensis, multispinosa, orops, (pacifica), planierensis, provincialis, pseudosarsi, pseudospinimana, richardsoni, ruffoi, spinicaudata, truncata, vervecei

brachycephala, calisto, febris, io, medialis,

pilosa, thyabilis

profundi

dellavallei, nirae, proxima

Byblis

Byblisoides Haploops

MELPHIDIPPOIDEA

MELPHIDIPPIDAE

Cheirocratus Metaceradocus

monodontus whakatane

MEGALUROPUS FAMILY GROUP

Megaluropus

monasteriensis

MELITOIDEA

HADZIIDAE

Hadzia Metaniphargus

Mexiweckelia

Saliweckelia Weckelia

jamaicae, lonomaka, tavaresi bousfieldi, longipes, palpator colei, mitchelli, particeps, texensis emarginata, holsingeri cubanica

MELITIDAE

Bathyceradocus Ceradocus Ceradocopsis

iberiensis dooliba, natalensis, shoemakeri, spinifera peke

Ceradomaera

Cottesloe Elasmopus Eriopisa Eriopisella

Jerbarnia Maera

> Megamoera Melita

Nuuanu Parelasmopus

Pseudelasmopus

Rotomelita

plumosa

berringar, merringannee menurte, wahine, yunde

epistomata, gracilis, schoenerse dentifera, epimera, propagatio

mecochira

caroliniana, emarginata, komma, lobata, pachytelson, schiecki, sodalis, tepuni,

thrixa, tulearensis, williamsi

carteta, marilla

awa, celericula, latimerus, matilda, mucronata,

oba, sexstachya, vietnamica mokari, muelleri, numbadi

echo, ya cheliferus ana, lokoa

COROPHIOIDEA

PHOTIDAE

Eurystheus Gammaropsis

Megamphopus Microprotopus Photis

anomalus

barnardi, bennetti, grandimana, inhaca, mauritiensis, pseudostroumovi, tawahi

brevidactylus

bicuspidatus, shoemakeri

longidactylus

ISCHYROCERIDAE

Ischyrocerus Parajassa

camptonyx, gurjanovae, tzvetkovae chikoa

AMPITHOIDAE

Amphyllodomus Ampithoe

> Cymadusa Paradusa Pleonexes

Pseudoamphithoides

incurvaria

bacescui

aorangi, auriculata, cavimana, helleri, hinatore, platycera, pomboi, serraticauda

imbroglio, valosa mauritiensis macrocornutus

AORIDAE

Aora

? Aorcho

Aorchoides

Janice Lemboides Lembopsia Lembos

inflata, spinicornis

curvipalma dilatata spinidactyla bidentata palmatus

borealis, brunneomaculatus, dentischium, excavatus, griseus, isochelatus, karamani, kidali, kunkelae, minimus, parahastatus, pseudopunctatus, punctatus, quadrimanus,

rectangulatus, rubromaculatus, ruffoi,

setimerus, unicornis, unifasciatus, viduarum

mariae, spinimanus

apopo, bifidus, myersi, obtusatus, similis,

thumbellinus

Neomegamphopus Neomicrodeutopus Rudilemboides

Leptocheirus

Microdeutopus

kunduchii nyala naglei

CHELURIDAE

Tropichelura

gomezi

COROPHILDAE

Concholestes
Corophium
Grandidierella
Paracorophium
Pterunciola

Siphonoecetes

Ritaumius

Unciolella

Cerapus

comparativus armatus

aquafuscum, intermedium, minutum, sinense

koa, palama, spinicoxa

hartmannorum spinipes longicornis tanabensis spinosa

PODOCERIDAE

Dulichia

* Dulichiopsis
Laetmatophilus
Neoxenodice
Podocerus
Xenodice

wolffi
barnardi
acuticephalus
cryophile

karu, manawatu, pyurae, wanganui

macrophthalma

SUB-ORDER CAPRELLIDEA

(infra-order CAPRELLIDA)

PHTHISICOIDEA

PARACERCOPIDAE

ParacercopsPseudocercops

setifer

armatus, kussakini

PHTHISICIDAE

Chaka
Dodecas
Paeudocodecas

leoni eltaninae bowmani hedgpethi

Pseudoprotomima

CAPRELLOIDEA

CAPROGAMMARIDAE

Cercopa

dentatus, draconi

AEGINELLIDAE

Aeginina Luconacia Mayerella

Orthoprotella Protella

Protellina

Protaeginella Thorina

aenigmatica

vemae

acanthopoda, magellanica

melloi trilobata arctica muriculata elongata

CAPRELLIDAE

Caprella

advena, astericola, bathyalis, centrota, clavigera, eurydactyla, excelsa, gorgonia, litoralis, longicirrata, lukini, media, oxyarthra, pacifica, parapaulina, rotundidentata, zygodonta

clavigera

Heterocaprella

(Infra-order CYAMIDA)

CYAMOIDEA

CYAMIDAE

Scutocyanus

parvus

SUB-ORDER HYPERIIDEA

PHRONIMOIDEA

HYPERIIDAE

Hyperia Hyperietta Lestrigonus bowmani, crassa, leptura parviceps, stebbingi, stephenseni shoemakeri

PHROSINIDAE

Primno

brevidens, johnsoni

SCINOIDEA

SCINIDAE

Acanthoscina

birsteini

SUB-ORDER INGOLFIELLIDEA

INGOLFIELLIDAE

Ingolfiella

berisfordi, fontinalis, ischitana, kapuri, putealis, tabularis